



APOLLO STONE ART

DIAMOND TOOL EXPERTS



STONE FABRICATION & INSTALLATION CATALOG

Your one-stop shop for all your stone & tile fabrication and installation needs.

2025



Apollo Stone Art, a proudly Canadian-owned professional diamond tools store located in Richmond, BC, has been dedicated to serving contractors and fabricators in BC and across Canada for over 30 years.

Apollo Stone Art supplies diamond tools, specializing in cutting, polishing, and grinding of stone and various masonry materials across North America. As a comprehensive supplier, Apollo offers a full range of fabrication tools, power tools, material lifting and handling equipment, adhesives and chemicals, CNC tools, and more.

Our expert sales team is committed to providing personalized service, competitive prices, and guidance to help address your specific needs. **Our mission is centered on delivering quality products and excellent service to our valued customers.**

Having earned the distinction of being the best quality diamond tools supplier in British Columbia, we take pride in offering professional products designed to deliver superior performance with a long lifespan. We are confident that customers will benefit from our commitment to providing the quality diamond tools in the industry.

APOLLO STONE ART
105-4471 NO.6 ROAD
RICHMOND, BC V6V 1P8
Tel: 604-279-8577
Email: sales@apollostoneart.com

TABLE OF CONTENTS

Bridge Saw Blades	2-4
Grinder Blades	5-9
Cup Wheels	10-12
Cup Stones	13
Truing Wheels	14
Polishing Pads	15-21
Automatic Polishing.....	22
Surface Polishing & Restoration.....	23-26
Texturing Tools.....	27-28
Backing Adaptors.....	29-30
Core Bits.....	31-33
Router Bits.....	34-35
Vacuum Brazed Profilers.....	36
CNC Tools.....	37-40
Dekton Tools.....	41-45
Adhesives.....	46-53
Stone Care.....	54-60
Machines and Power tools.....	61-69
Material Handling.....	70-76
Dust Shrouds.....	77
Shop Supplies.....	78-83



BRIDGE SAW BLADES



Apollo A-Team Professional Blades

- 20mm tall segments and silent core design
- For cutting Granite & Engineered Stone
- Arbor: 50/60mm
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
14"	GB-ATGE14
16"	GB-ATGE16
18"	GB-ATGE18



Apollo Premium Line-Up Blades

- 20mm tall segments with patterned diamond technology
- For cutting Granite & Engineered Stone
- Silent core design
- Arbor: 50/60mm
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
12"	GB-GEL12.O
14"	GB-GEL14.O
16"	GB-GEL16.O
18"	GB-GEL18.O
20"	GB-GEL20.O
22"	GB-GEL22.O
24"	GB-GEL24.O



Apollo Pro 25mm Patterned Diamond Blades with Grooves

- 25mm tall segments with patterned diamond technology design
- NEW Groove design in segments for blade cooling purposes
- For cutting Granite & Engineered Stone
- Silent core design
- Arbor: 50/60mm
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
14"	GB-GEP14G
16"	GB-GEP16G
18"	GB-GEP18

CHEETAH Silent Core 25mm Patterned Diamond Blades

- 25mm tall segments with patterned diamond technology design
- Silent core design
- For cutting Engineered stone and Granite
- Arbor: 50/60mm with 2 CNC holes for Breton

Diameter	Item Code
14"	GB-CT14.25
16"	GB-CT16.25
18"	GB-CT18.25



Terminator Sandwich Segment Blades

- 20mm tall segments
- Silent core design
- Arbor: 50/60mm
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
14"	GB-TEM14.20
16"	GB-TEM16.20



Terminator NanoCut Q2 Quartzite Blades

- 20mm tall segments
- Silent core design
- Diamond bond & composition formulated for natural quartzite (Taj Mahal)
- Arbor: 50/60mm
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
12"	GB-TEM.Q12
14"	GB-TEM.Q14
16"	GB-TEM.Q16



Weha White Lion Bridge Saw Blades

- 20mm tall segments
- German silent core steel run quiet and smooth
- Diamond layered technology for constant high-speed cutting
- Good for cutting Quartzite, Granite, and Engineered Stone
- Arbor: 60mm (50mm bushing available upon request)

Diameter	Item Code
14"	GB-WL.14
16"	GB-WL.16
18"	GB-WL.18
20"	GB-WL.20





Apollo A-Team Marble Blades

- 7mm tall segments
- Silent core design
- For cutting Marble, Limestone, Sandstone & Travertine
- Arbor: 50/60mm
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
14"	MB-AT14
16"	MB-AT16
18"	MB-AT18
20"	MB-AT20
24"	MB-AT24



Apollo Premium Silent Core Marble Blades

- 7mm tall segments
- Silent core design
- For cutting Marble, Limestone, Sandstone & Travertine
- 10" blade arbor: 1"
- 12" - 14" blade arbor: 50/60mm

Diameter	Item Code
10"	MB-PG10
12"	MB-PG12
14"	MB-PG14
16"	MB-PG16
18"	MB-PG18
20"	MB-PG20
24" *special order*	MB-PG24



Apollo A-Team Jade Blades

- 10mm tall segments
- Silent core design
- Diamond bond specifically designed for cutting Jade
- 10" with 1" arbor for use on wet saws
- 14"-18" with 50/60mm arbor for use on bridge saws
- Available with CNC holes: 1 hole for Donatoni, 2 holes for Breton

Diameter	Item Code
10"	JB-AT10
14"	JB-AT14
16"	JB-AT16
18"	JB-AT18



Apollo Standard Milling Wheels

- Grinding tool for gauging slabs on stationary saws and milling machines
- Designed for stone calibrating and levelling
- Features a lightweight nylon body
- Good for Granite, Quartzite, and Quartz
- Arbor size: 50/60mm

Diameter	Segment Width	Item Code
14"	1"	PW-14.1
14"	1-1/2"	PW-14.112
16"	1"	PW-16.1
16"	1-1/2"	PW-16.112



Apollo Premium Milling Wheels

- Grinding tool for gauging slabs on stationary saws and milling machines
- Designed for stone calibrating and levelling
- Features a lightweight nylon body
- Good for Granite, Quartzite, and Quartz
- Arbor size: 50/60mm

Diameter	Segment Width	Item Code
14"	1-1/2"	PW-P14.112
16"	1-1/2"	PW-P16.112

GRINDER BLADES

Apollo Pro Segmented Turbo Blades

- For cutting Granite, Engineered Stone, Concrete and Masonry products
- Segmented turbo style for fast, aggressive cutting with great blade durability
- Drop segment design for additional core protection
- 4.5" - 7" grinder blades have quad adapter holes for flush cuts

Diameter	Arbor	Item Code	Diameter	Arbor	Item Code
4"	20mm - 5/8"	GB-SP4	6"	7/8"-5/8" Quad Holes	GB-SP6
4.5"	7/8" - 5/8" Quad Holes	GB-SP45	7"	7/8" \diamond 5/8" Quad Holes	GB-SP7
4.5"	20mm - 5/8"	GB-SP45.NB	10"	7/8" \diamond 5/8"	GB-SP10
5"	7/8" - 5/8" Quad Holes	GB-SP5	12"	1"-20mm w/pin hole	GB-SP12
5"	20mm	GB-SP5.NB	14"	1"-20mm w/pin hole	GB-SP14



Apollo Premium Continuous Rim Turbo Blades

- For cutting Granite, Engineered Stone, Concrete and Masonry products
- Continuous rim turbo design for smooth chip free cuts
- Extra extended segments prevent blade from binding
- 5" & 6" grinder blades have quad adapter holes for flush cuts

Diameter	Arbor	Item Code
5"	7/8"-5/8" Quad Holes	GB-CRTP5
6"	7/8"-5/8" Quad Holes	GB-CRTP6
7"	7/8" - 5/8"	GB-CRTP7



Apollo Pro Super Uni-Cut Blades

- For cutting Granite, Engineered Stone, Porcelain tile, Concrete & Masonry products
- Turbo continuous rim design for fast and smooth chip free cuts
- Cooling holes designed to keep the blade cool when used dry
- 4" - 5" grinder blades have quad adapter holes for flush cuts

Diameter	Arbor	Item Code	Diameter	Arbor	Item Code
4"	7/8" - 5/8" Quad Holes	GB-SUC4	7"	7/8" - 5/8"	GB-SUC7
4.5"	7/8" - 5/8" Quad Holes	GB-SUC45	8"	7/8" - 5/8"	GB-SUC8
5"	7/8" - 5/8" Quad Holes	GB-SUC5	9"	7/8" - 5/8"	GB-SUC9





Apollo Premium MFS Turbo Blades

- For cutting Granite, Engineered Stone, Concrete and Masonry products
- Narrow continuous rim turbo segments for smooth chip-free cuts
- Cooling holes designed to keep the blade cool when used dry
- 4" - 5" grinder blades have quad adapter holes for flush cuts

Diameter	Arbor	Item Code
4"	7/8" - 5/8" Quad Holes	GB-MFS4
4.5"	7/8" - 5/8" Quad Holes	GB-MFS45
5"	7/8" - 5/8" Quad Holes	GB-MFS5



Apollo Continuous Rim Turbo Blades

- Continuous rim turbo design for smooth and fast cutting performance
- For cutting Engineered Stone & Granite

Diameter	Arbor	Item Code
4.5"	7/8"-20mm Quad Holes	GB-CRB45
5"	7/8"-20mm Quad Holes	GB-CRB5



Apollo "Silver Ghost" Continuous Rim Turbo Blades

- For cutting Granite, Quartzite and Engineered Stone
- Continuous rim design provides fast chip free cuts
- Cooling holes designed to keep the blade cool when used dry

Diameter	Arbor	Item Code
5"	7/8" - 5/8"	GB-CRSG5
6"	7/8" - 5/8"	GB-CRSG6



Apollo Premium Continuous Rim Narrow Turbo Blade

- Continuous rim turbo segments provide fast and smooth cutting performance
- Cooling holes prevent the blade from overheating
- For cutting Granite, Engineered Stone, Concrete and Masonry products
- Quad adapter holes for flush cuts
- Dry/wet cutting

Diameter	Arbor	Item Code
6"	7/8" w/ Quad Holes	GB-NT6.F



Apollo Premium Swirl Segmented Turbo Blades


- For cutting Granite, Engineered Stone, Concrete and Masonry products
- Drop segment design for core protection and no binding
- Wide turbo segments for fast cutting
- Vented core for cooling and slurry removal
- Quad adapter holes for flush cuts

Diameter	Arbor	Item Code
5"	7/8"-5/8" Quad Holes	GB-SS5
6"	7/8"-5/8" Quad Holes	GB-SS6

Apollo A-Team Pro Segmented Supreme Turbo L Dry Blades

- For cutting all types of Natural Stone, Granite and Engineered Stone
- Super fast and aggressive cutting performance
- Durable and long lasting grinder blade for the most challenging cutting tasks
- Quad adapter holes for flush cuts

Diameter	Arbor	Item Code
5"	7/8"-5/8" Quad Holes	GB-SSTL5
5.5"	7/8"-5/8" Quad Holes	GB-SSTL55
6"	7/8"-5/8" Quad Holes	GB-SSTL6
7"	7/8"-5/8" Quad Holes	GB-SSTL7



weha

Weha White Lion Turbo Blades

- For cutting Quartzite, Granite and Engineered Stone
- 10mm diamond rim for maximum life expectancy
- Cooling holes to keep the blade running cool and extend blade life
- Quad adapter holes for flush cuts

Diameter	Arbor	Item Code
5"	7/8"- 20mm - 5/8" Quad Holes	WH-QB5
6"	7/8"- 20mm - 5/8" Quad Holes	WH-QB6



Apollo Pro Electroplated Double Lined Marble Blades

- For cutting Marble, Limestone, Onyx, Travertine, Soapstone and Alabaster
- Electroplated diamonds offer smooth chip free cuts
- Double-lined electroplated diamonds enhance blade durability and lifespan.
- 4.5" - 7" grinder blades have quad adapter holes for flush cuts

Diameter	Arbor	Item Code	Diameter	Arbor	Item Code
4"	7/8"- 20mm - 5/8"	MB-D4	7"	7/8"- 20mm - 5/8" Quad Holes	MB-D7
4.5"	7/8"- 20mm - 5/8" Quad Holes	MB-D45	10"	1"-5/8"	MB-D10
5"	7/8"- 20mm - 5/8" Quad Holes	MB-D5	12"	1"-5/8"	MB-D12
6"	7/8"- 20mm - 5/8" Quad Holes	MB-D6	14"	1"-5/8"	MB-D14



Apollo Pro Electroplated Marble Blade

- For cutting Marble, Limestone, Onyx, Travertine, Soapstone and Alabaster
- Electroplated diamonds offer smooth chip free cuts
- Quad adapter holes for flush cuts

Diameter	Arbor	Item Code
4"	7/8"- 20mm - 5/8" Quad Holes	MB-S4
4.5"	7/8"- 20mm - 5/8" Quad Holes	MB-S45
5"	7/8"- 20mm - 5/8" Quad Holes	MB-S5
6"	7/8"- 20mm - 5/8" Quad Holes	MB-S6
7"	7/8"- 20mm - 5/8" Quad Holes	MB-S7
8"	7/8"- 20mm - 5/8" Quad Holes	MB-S8



Apollo Cut & Grind Blades

- All-in-one cut & grind blades with built-in flush mount adapters
- Sintered continuous rim turbo diamonds for smooth cutting/grinding on Granite & Engineered stone
- Electroplated diamonds for smooth chip free cutting/grinding on Marble & Limestone
- 5/8"-11 thread for use on angle grinders

Diameter	Material Type	Item Code
3"	Granite/Engineered Stone	GB-CRB3
5"	Granite/Engineered Stone	GB-CG5
5"	Marble/Limestone	MB-CG5



GB-CRB3



GB-CG5



MB-CG5





Flush Mount Adaptor with Screws

- Adaptor designed for flush cuts
- Fits grinder blades with 7/8" arbor and quad holes for easy installation.
- 5/8"-11 thread for use on angle grinders

Description	Item Code
Flush Mount Adaptor with 4 Screws - 5/8"-11 female thread	AD-FM
Replacement Screw for Flush Mount Adaptor (EACH)	AD-FM:SCREW



Standard Continuous Rim Turbo Contour Blades

- For curve cuts on Granite, Engineered Stone and Concrete
- Continuous rim turbo design for fast, smooth chip free cuts
- Great for sink cut-outs and curved shapes

Diameter	Arbor	Item Code
4"	7/8" - 5/8"	CT-CRS4B
4.5"	7/8" - 5/8"	CT-CRS45
5"	7/8" - 5/8"	CT-CRS5
7"	7/8" - 5/8"	CT-CRS7



Premium Continuous Rim Turbo Contour Blades

- For curve cuts on Granite, Engineered Stone and Concrete
- Continuous rim turbo design for fast, smooth chip free cuts
- Extended drop segments for additional core and undercut protection
- Great for sink cut-outs and curved shapes

Diameter	Arbor	Item Code
5"	7/8" - 5/8"	CT-CRTP5
5.5"	7/8" - 5/8"	CT-CRTP55



Professional Segmented Turbo Contour Blades

- For curve cuts on Granite & Engineered Stone
- Fast & aggressive T-segment design for maximum contact when cutting
- Great for sink cut-outs and curved shapes

Diameter	Segment Thickness	Arbor	Item Code
4.5"	3.60mm thick	7/8" - 5/8"	CT-SA45.360
4.5"	3.95mm thick	7/8" - 5/8"	CT-SA45.395
5"	3.95mm thick	7/8" - 5/8"	CT-SA5.395

Professional Electroplated Contour Blades

- For curve cuts on Marble & Limestone
- Extended drop design with electroplated diamonds & a continuous rim for smooth chip-free cuts

Diameter	Arbor	Item Code
5"	7/8" - 5/8"	CT-CREP5



Crack Chaser Blades

- Designed for concrete cutting, masonry routing, and repairing shallow pavement cracks
- V-segmented design delivers fast and aggressive cuts
- For cutting Concrete and Masonry products

Diameter	Segment Thickness	Arbor	Item Code
4"	1/4" thick	7/8" - 5/8"	GB-CC4
5"	1/4" thick	7/8" - 5/8"	GB-CC5



Tuck Point Blades

- Designed for repairing grout and routing mortar joints
- High quality laser welded segmented blade delivers smooth and fast cuts
- For cutting Concrete and Masonry products

Diameter	Segment Thickness	Arbor	Item Code
4"	1/4" thick	7/8" - 5/8"	GB-TP4.14
4.5"	1/4" thick	7/8" - 5/8"	GB-TP45.14
5"	1/4" thick	7/8" - 5/8"	GB-TP5.14
4.5"	3/8" thick	7/8" - 5/8"	GB-TTP45
5"	3/8" thick	7/8" - 5/8"	GB-TP5.38





Apollo Standard Turbo Segmented Cup Wheels - Blue

- For Granite, Engineered Stone, Concrete, Sandstone, and Masonry products
- Turbo diamond segments for fast grinding and stock removal
- Cooling holes in steel body aid dust control
- 5/8"-11 thread

Diameter	Grit	Item Code
4"	Coarse - 30/40	CW-B4
5"	Coarse - 30/40	CW-B5



Apollo Standard Turbo Segmented Cup Wheels - Gold

- For Granite, Engineered Stone, Concrete, Sandstone and Masonry products
- Turbo diamond segments for fast grinding and stock removal
- 5/8"-11 thread

Diameter	Grit	Item Code
4"	Coarse - 40	CW-G4
4"	Medium - 60	CW-G4.M



Apollo Premium Segmented Turbo Cup Wheel

- For Granite, Engineered Stone, Concrete, Sandstone and Masonry products
- Turbo diamond segments for fast grinding and stock removal
- 5/8"-11 thread


Diameter	Grit	Item Code
4"	Medium	CW-4SM

Apollo Pro Resin Filled Turbo Cup Wheels

- For Granite, Marble, Engineered Stone, Concrete, Tile & Glass
- Resin filled design eliminates bouncing or biting into the material
- Designed for chip free grinding and honing applications
- 5/8"-11 thread

Diameter	Grit	Item Code
4"	Coarse	CW-RF4C
4"	Medium	CW-RF4M
4"	Fine	CW-RF4F


Diameter	Grit	Item Code
5"	Aggressive	CW-RF5A
5"	Coarse	CW-RF5C
5"	Medium	CW-RF5M
5"	Fine	CW-RF5F



Apollo A-Team Resin Filled Flat Turbo Cup Wheels

- For Granite, Marble, Engineered Stone & Concrete
- Strategically placed aggressive diamond segments for maximum speed grinding
- Flat face design for smooth and perfectly balanced grinding
- 5/8"-11 thread

Diameter	Grit	Item Code
4"	Coarse	CW-FRF4.C
4"	Medium	CW-FRF4.M
4"	Fine	CW-FRF4.F



Apollo "TS Segments" Resin Filled Turbo Cup Wheels

- For Granite, Marble, Engineered Stone & Porcelain tile/slabs
- Strategically placed aggressive "TS" diamond segments for maximum speed
- Resin filled design eliminates bouncing or biting into the material
- Designed for chip free grinding and honing applications
- 5/8"-11 thread

Diameter	Grit	Item Code
4"	Coarse	CW-RFTS.C
4"	Medium	CW-RFTS.M
4"	Fine	CW-RFTS.F




Apollo Resin Bond Diamond Aluminum Cup Wheels

- Unique hybrid: more durable than diamond pads and just as fast as diamond cup wheels
- For Granite, Marble, Engineered Stone, Porcelain tile/slabs, Ceramic tile & Concrete
- Achieve smooth, chip-free results with this cup wheel.
- 5/8"-11 thread on lightweight rigid aluminum backer
- Dry/wet grinding, beveling, shaping and beveling applications

Diameter	Grit	Item Code
4"	30	CW-RB4.30G
4"	50	CW-RB4.50G
4"	100	CW-RB4.100G
4"	200	CW-RB4.200G



4"



5"



Apollo A-Team Pro Segmented Grinding Wheels - Granite

- Long lasting diamond bond designed specifically for granite
- Strategically placed aggressive diamond segments for maximum speed grinding
- Flat face design for smooth and perfectly balanced grinding
- 5/8"-11 thread

Diameter	Grit	Item Code
4"	30/40	CW-FG4.30
5"	30/40	CW-FG5.30
5"	40/50	CW-FG5.50
6"	40/50	CW-FG6.50



Apollo A-Team Pro Segmented Grinding Wheels - Concrete

- Long lasting diamond bond designed specifically for concrete
- Strategically placed aggressive diamond segments for maximum speed grinding
- Flat face design for smooth and perfectly balanced grinding
- 5/8"-11 thread

Diameter	Grit	Item Code
5"	40/50	CW-FC5
6"	40/50	CW-FC6

Coarse



Medium



Apollo 7" Arrow Segment Cup Wheels

- Designed for concrete grinding and removing thick coatings on surfaces
- Arrow diamond matrix with hardened steel & embedded diamonds for efficient stock removal
- Slanted segment design for simultaneous scraping and grinding
- 5/8"-11 thread

Diameter	Grit	Item Code
7"	Medium - 50/60	CW-ARC7.M
7"	Coarse - 30/40	CW-ARC7.C

ALPHA



Alpha Spike Discs

- Designed for thick coating removal of epoxy, urethane, glue and adhesives
- Unique open-mesh layout reduces clogging and head build-up
- Optimized diamond grits provide consistent performance
- Suitable for use on steel, wood, glass & carbon fiber-reinforced polymer
- 5/8"-11 zinc hub/square arbor for spring load systems

Diameter	Grit	Item Code
4.5"	35	AL-SG45
7"	35	AL-SG7

CUP STONES

Tyrolit Cup Stones

- Premium 2" thick silicon carbide cup stones for dry grinding applications
- For Granite, Marble, Slate, Engineered Stone & Concrete
- Robust, durable and provides maximum stock removal
- 5/8"-11 thread

Diameter	Grit	Item Code	Diameter	Grit	Item Code
4"	16	CS-4016	5"	16	CS-5016
4"	24	CS-4024	5"	24	CS-5024
4"	36	CS-4036	5"	30	CS-5030
4"	60	CS-4060	5"	60	CS-5060
4"	120	CS-4120	5"	120	CS-5120
4"	220	CS-4220	5"	220	CS-5220



Italian Carbide Cup Stones

- Italian 2" thick silicon carbide cup stones for dry grinding applications
- For Granite, Marble, Slate, Engineered Stone & Concrete
- Aggressive stock removal, removes scratches, and prepares surface to take on polish.
- 5/8"-11 thread

Diameter	Grit	Item Code
3"	60	CS-AC3060
3"	120	CS-AC3120
4"	36	CS-AC4036
4"	60	CS-AC4060
4"	80	CS-AC4080
4"	120	CS-AC4120
5"	36	CS-AC5036
5"	60	CS-AC5060
5"	120	CS-AC5120



Desmond Huntington Dresser & Replacement Cutters

- Premium dressers and replacement cutters for medium and coarse cup wheels

Description	Item Code
No. 0 Dresser	GW-DRS.N0
No. 1 Dresser	GW-DRS.N1
No. 2 Dresser	GW-DRS.N2
No. 0 Cutter	GW-RCT.N0
No. 1 Cutter	GW-RCT.N1
No. 2 Cutter	GW-RCT.N2




TRUING WHEELS



Apollo A-Team Segmented Truing Wheels

- For Granite, Quartzite & Engineered Stone
- Turbo segmented design offers fast & aggressive stock removal & grinding of edges/sink corners
- 5/8"-11 thread
- Dry/wet grinding

Size	Item Code
2"D x 1-5/8"H	TW-ATS2.158
3"D x 1-5/8"H	TW-ATS3.158
3"D x 2"H	TW-ATS3.2
3"D x 3"H	TW-ATS3.3
4"D x 1-5/8"H	TW-ATS4.158



Apollo A-Team Resin Filled Truing Wheel

- For Granite, Quartzite & Engineered Stone
- Resin filled design deliver smooth chip free grinding & stock removal
- Water holes keeps the truing wheel cool while in use
- 5/8"-11 thread
- Dry/wet grinding

Size	Grit	Item Code
3"D x 2"H	Coarse	TW-ATRF3.2



Apollo Pro Resin Filled Truing Wheels

- For Granite, Marble, Quartzite, Engineered Stone & Concrete
- Resin filled design deliver smooth chip free grinding & stock removal
- Water holes keeps the truing wheel cool while in use
- 5/8"-11 thread
- Dry/wet grinding

Size	Grit/Color	Item Code
1"D x 1-5/8"H	Coarse/Red	TW-RFC1R
1"D x 1-5/8"H	Coarse/Black	TW-RFC1B
1"D x 1-5/8"H	Fine/Black	TW-RFF1B
2"D x 1-3/4"H	Coarse	TW-RF2
2"D x 1-3/4"H	Fine	TW-RF2F
3"D x 1-3/4"H	Coarse	TW-RF3
3"D x 1-3/4"H	Fine	TW-RF3F
4"D x 1-3/4"H	Coarse	TW-RF4C
4"D x 1-3/4"H	Fine	TW-RF4F



Apollo Vacuum Brazed Truing Wheels

- For Marble, Granite, Engineered Stone, Porcelain tile/slab & Ceramic tile
- Long lasting vacuum brazed diamonds for chip free stock removal
- Manually grind tight radius corners, cut-outs and enlarge existing holes
- 5/8" - 11 thread
- Dry/wet grinding


Size	Grit	Item Code
3/8" x 2"	60	TW-VB.38.2.60G
1/2" x 2"	30	TW-VB12.2.30G
1/2" x 2"	120	TW-VB12.2.120G
1" x 2"	40	TW-VB1.2.40G
1" x 2"	120	TW-VB1.2.120G
1-1/2" x 2"	120	TW-VB112.2.120G
3" x 1-5/8"	40	TW-VB3.158.40G

POLISHING PADS

Apollo Premium 3-Step Star Design Wet Polishing Pads

- Save time & cost with 3-step pads
- Light color resin for residue free finish
- Good for Granite, Quartzite, Marble & Engineered Stone
- Super flexible, durable and long lasting


Pos.	Color	4" Pads
1	Red	4W3SP1
2	Blue	4W3SP2
3	Orange	4W3SP3



Apollo 3-Step Wet Polishing Pads

- Save time & cost with 3-step pads
- White color resin won't leave marks on white/light colored stone
- Good for Engineered Stone, Terrazzo & Concrete
- Flexible design: good for polishing edges/tight radius


Pos.	Color	4" Pads
1	Yellow	4DW3S1
2	Red	4DW3S2
3	Blue	4DW3S3



Weha 3-Step Hybrid Polishing Pads

- WET OR DRY for Granite & Marble
- WET ONLY for Engineered Stone
- Super flexible 3 step pads for shortened polishing time without sacrificing finish
- 3mm thick white resin for minimal burning/staining

Pos.	Color	4" Pads
1	Red	WH-43STPHB1
2	Yellow	WH-43STPHB2
2	Green	WH-43STPHB3






Apollo 4-Step Pro "White Engin" Wet Polishing Pads

- 4 steps to reduce increments for quicker polishing
- White resin for minimal burning or staining
- Designed for polishing all types of Engineered Stone
- Floral pattern design provides excellent water distribution

Pos.	Color	4" Pads
1	Red	4WE4S1
2	Orange	4WE4S2
3	Yellow	4WE4S3
4	Green	4WE4S4



Apollo E6 Type Premium Wet Polishing Pads

- Flexible 6-step pads to reduce increments for quicker polishing
- White resin for minimal burning or staining
- Designed for polishing Engineered stone
- Floral pattern design allows for even water distribution

Pos.	Color	4" Pads
1	Red	4WE6S1
2	Yellow	4WE6S2
3	Blue	4WE6S3
4	Green	4WE6S4
5	Orange	4WE6S5
6	Pink	4WE6S6



Apollo Wet & Dry Spiral Pattern Polishing Pads

- Budget-friendly wet polishing pads for Engineered Stone
- White resin for minimal burning or staining
- Spiral design allows for even water distribution
- Wet, or dry polishing (material dependent)

Grit	4" Pads
50	4DW0050SP
100	4DW0100SP
200	4DW0200SP
400	4DW0400SP
800	4DW0800SP



Apollo Wet & Dry "White Square" Polishing Pads


- For Granite, Marble, Engineered Stone, Concrete & Porcelain tile
- White resin for minimal burning, staining and discolouration on finished product
- Square design allows for even water distribution
- Wet or dry polishing (material dependent)

Grit	4" Pads	5" Pads
30	4DW0030SQ	-
50	4DW0050SQ	5DW0050SQ
100	4DW0100SQ	5DW0100SQ
200	4DW0200SQ	5DW0200SQ
400	4DW0400SQ	5DW0400SQ
800	4DW0800SQ	5DW0800SQ
1500	4DW1500SQ	5DW1500SQ
3000	4DW3000SQ	5DW3000SQ

Apollo Pro "White Engin" Wet Polishing Pads

- Designed for polishing all types of Engineered Stone
- White color resin will not bleed into light/white color stone
- Flexible design
- Floral pattern design allows for even water distribution


Grit	4" Pads
50	4WE0050
100	4WE0100
200	4WE0200
400	4WE0400
800	4WE0800
1500	4WE1500
3000	4WE3000



Apollo A-Type Wet Polishing Pads

- Quality and affordable pad for Granite, Marble, Engineered Stone, Concrete & Glass
- Square design allows for even water distribution
- Flexible, durable and long lasting


Grit	3" Pads	4" Pads	5" Pads
30	-	4WA0030S	5WA0030S
50	3WA0050S	4WA0050S	5WA0050S
100	3WA0100S	4WA0100S	5WA0100S
200	3WA0200S	4WA0200S	5WA0200S
400	3WA0400S	4WA0400S	5WA0400S
800	3WA0800S	4WA0800S	5WA0800S
1500	3WA1500S	4WA01500S	5WA1500S
3000	3WA3000S	4WA03000S	5WA3000S
6500	-	4WA06500S	5WA6500S
Black Buff	3WASBB	4WABBS	5WABB.S
White Buff	3WASWB	4WAWBS	5WAWB.S



Apollo Premium Spiral Wet Polishing Pads

- Premium, long lasting 7-step diamond polishing pads
- Exceptional polishing quality on Granite, Marble, Terrazzo, Concrete & Glass
- Spiral design allows for even water distribution


Grit	3" Pads	4" Pads	5" Pads
30	-	4PSW0030	-
50	3PSW0050	4PSW0050	5PSW0050
100	3PSW0100	4PSW0100	5PSW0100
200	3PSW0200	4PSW0200	5PSW0200
400	3PSW0400	4PSW0400	5PSW0400
600	-	4PSW0600	5PSW0600
800	3PSW0800	4PSW0800	5PSW0800
1500	3PSW1500	4PSW1500	5PSW1500
3000	3PSW3000	4PSW3000	5PSW3000
6500	-	4PSW6500	-
Black Buff	3PSWBBF	4PSWBBF	5PSWBBF
White Buff	3PSWWBF	4PSWWBF	5PSWWBF




DS Pro Wet Polishing Pads

- Exceptional quality polish on Granite, Marble, Terrazzo, Engineered Stone, Concrete, Jade & Glass
- Designed for long lasting use
- Suitable for polishing/restoring countertops & floors
- Flexible design for concave and convex profile polishing

Grit	4" Pads	5" Pads	Grit	4" Pads	5" Pads
30	4DS0030	-	800	4DS0800	5DS0800
50	4DS0050	5DS0050	1500	4DS1500	5DS1500
100	4DS0100	5DS0100	3000	4DS3000	5DS3000
200	4DS0200	5DS0200	6500	4DS6500	5DS6500
400	4DS0400	5DS0400	Black Buff	4DSBB	5DSBB
600	4DS0600	5DS0600	White Buff	4DSWB	5DSWB



ALPHA




Alpha Ceramica EX Polishing Pads

- Produces high-quality shine
- Good for Engineered Stone, Granite, Marble, Terrazzo, Porcelain tile/slab & Glass
- Flexible design ideal for polishing inside corners & tight-radius areas
- Cost effective for long lasting use

Grit	4" Pads	5" Pads
200	4ALC0200	5ALC0200
500	4ALC0500	5ALC0500
1000	4ALC1000	5ALC1000
2000	4ALC2000	5ALC2000
3000	4ALC3000	5ALC3000


weha



Weha Geo Pattern Quartz Wet Polishing Pads

- Geo pattern design allows water to flow across & through the pad more efficiently
- Geo pattern design eliminates the segments coming off on the outer edges of the pad
- 3mm thick with white resin eliminate all bleeding on Quartz, Engineered Stone, Granite, Marble & Quartzite
- Super quick polishing: faster than conventional brick pattern polishing pads


Grit	4" Pads
50	WH-4QUZ0050
100	WH-4QUZ0100
200	WH-4QUZ0200
400	WH-4QUZ0400
800	WH-4QUZ0800
1500	WH-4QUZ1500
3000	WH-4QUZ3000



Apollo Wet Marble Polishing Pads

- Good for polishing Marble, Limestone, Travertine & Terrazzo
- Resin will not leave residues or scratch marks behind
- Suitable for polishing countertops & restoring floors

Grit	4" Pads	5" Pads
50	4WM0050	5WM0050
100	4WM0100	5WM0100
200	4WM0200	5WM0200
400	4WM0400	5WM0400
800	4WM0800	5WM0800
1500	4WM1500	5WM1500
3000	4WM3000	5WM3000



Apollo Pro Dry Polishing Pads


- High quality dry pads for long lasting use
- Good for Granite, Concrete, Ceramic & Porcelain tile
- Flexible design, suitable for top & edge polishing

Grit	4" Pads	5" Pads	6" Pads
50	4DA0050	5DA0050	6DA0050
100	4DA0100	5DA0100	6DA0100
200	4DA0200	5DA0200	6DA0200
400	4DA0400	5DA0400	6DA0400
800	4DA0800	5DA0800	6DA0800
1500	4DA1500	5DA1500	6DA1500
3000	4DA3000	5DA3000	6DA3000
7000	4DA7000	-	-
Black Buff	4DABB	-	-
White Buff	4DAWB	-	-

Apollo Dry Marble Polishing Pads

- Good for dry polishing Marble, Limestone, Travertine & Terrazzo
- Resin will not leave residues or scratch marks behind
- Flexible design for polishing inside corners, edges & areas with a tight radius
- Dry/wet polishing


Grit	4" Pads
50	4DM0050
100	4DM0100
200	4DM0200
400	4DM0400
800	4DM0800
1500	4DM1500
3000	4DM3000



Apollo Premium Dry Polishing Pads

- Distinctive matte finish resin honeycomb design
- Good for polishing/honing/shaping Granite, Limestone, Porcelain tile & Concrete
- Flexible design, suitable for top & edge polishing


Grit	4" Pads
50	4DP0050
100	4DP0100
200	4DP0200
400	4DP0400
800	4DP0800
1500	4DP1500
3000	4DP3000



Apollo Thin White Resin Dry Polishing Pads

- White resin design eliminates bleeding into white/light colour materials
- Good for Granite, Engineered Stone, Ceramic/Porcelain tile & Concrete
- Slightly rigid design for durability & better surface contact
- Must use water when polishing Quartz

Grit	4" Pads
30	4DT0030
50	4DT0050
100	4DT0100
200	4DT0200
400	4DT0400
800	4DT0800
1500	4DT1500
3000	4DT3000



Apollo Electroplated Diamond Honing Discs

- Durable diamond discs for the removal of coatings, epoxy, paint, grout & mastics
- Long lasting & versatile: great for honing, beveling & grinding
- Good for Granite, Engineered Stone, Marble, Concrete & Porcelain tile
- Dry/wet use
- Speed Range: 3000-7000 RPM

Grit	4" Pads	5" Pads
30	4EP0030	5EP0030
50	4EP0050	5EP0050
100	4EP0100	5EP0100
200	4EP0200	5EP0200
400	4EP0400	5EP0400
800	4EP0800	5EP0800



Alpha Sandpaper Discs

- Waterproof hook and loop backed silicon carbide abrasive resists clogging when used wet
- For use on Marble, softer types of Natural Stone, Glass, Metal and Wood
- Easy to use and very adaptable to onsite work
- Sold in a box of 50pcs

Grit	4" Pads	5" Pads
KIT (All Grits)	4ALSP-AS	5ALSP-AS
80	4ALSP-080	5ALSP-080
120	4ALSP-120	5ALSP-120
240	4ALSP-240	5ALSP-240
320	4ALSP-320	5ALSP-320
400	4ALSP-400	5ALSP-400
500	4ALSP-500	5ALSP-500
600	4ALSP-600	5ALSP-600






Apollo 1" Resin Bond Drum Polishing Wheels

- Great for polishing sink cutouts or tight radius
- Equipped with water holes for wet use only
- Suitable for Granite, Marble & Engineered Stone
- Working height: 1-3/4"
- 5/8"-11 thread

Grit	Item Code
50	DW-1W0050
100	DW-1W0100
400	DW-1W0400
800	DW-1W0800



Apollo 2" Resin Bond Drum Polishing Wheels

- Great for polishing sink cutouts or tight radius
- Equipped with water holes for wet use only
- Suitable for Granite & Marble
- Working height: 1-1/2"
- 5/8"-11 thread

Grit	Item Code
50	DW-2WP0050
100	DW-2WP0100
200	DW-2WP0200
400	DW-2WP0400
800	DW-2WP0800



Apollo 2" White Resin Bond Drum Polishing Wheels


- Great for polishing sink cutouts or tight radius
- Equipped with water holes for wet use only
- White color resin will not stain light colored stone, suitable for Engineered Stone
- Working height: 1-1/2"
- 5/8"-11 thread

Grit	Item Code
50	DW-2WE0050
100	DW-2WE0100
200	DW-2WE0200
400	DW-2WE0400
800	DW-2WE0800
1500	DW-2WE1500
3000	DW-2WE3000

Apollo Professional Diamond Hand Pads

- Superior diamond matrix for long-lasting use and excellent performance
- Good for Granite, Marble, Engineered Stone, Ceramic tiles, Porcelain slab/tiles, Concrete & Glass
- Metal and resin bond diamond sheets on a semi firm foam hand pad
- Dry/wet use

Grit	Colour	Bond Type	Item Code
50	Green	Metal Bond	HP-A0050
120	Black	Metal Bond	HP-A0120
200	Red	Metal Bond	HP-A0200
400	Yellow	Metal Bond	HP-A0400
800	White	Metal Bond	HP-A0800M
800	White	Resin Bond	HP-A0800
1800	Blue	Resin Bond	HP-A1800
3000	Red	Resin Bond	HP-A3000



Apollo Premium Diamond Hand Pads

- Cost effective choice for long lasting use
- Good for Granite, Marble, Engineered Stone, Ceramic tiles, Porcelain slab/tiles, Concrete & Glass
- Metal and resin bond diamond sheets on a firm foam hand pad
- Dry/wet use

Grit	Colour	Bond Type	Item Code
50	Red	Metal Bond	HP-P0050
100	Orange	Metal Bond	HP-P0100
200	Yellow	Metal Bond	HP-P0200
400	Green	Metal Bond	HP-P0400
800	Blue	Resin Bond	HP-P0800
1500	Black	Resin Bond	HP-P1500
3000	Purple	Resin Bond	HP-P3000



Apollo Standard Diamond Hand Pads

- Super cost effective
- Good for Granite, Marble, Engineered Stone, Ceramic tiles, Porcelain slab/tiles, Concrete & Glass
- Metal and resin bond diamond sheets on a firm foam hand pad
- Dry/wet use

Grit	Colour	Bond Type	Item Code
60	Pink	Metal Bond	HP-S0060
100	Orange	Metal Bond	HP-S0100
200	Green	Metal Bond	HP-S0200
400	Purple	Metal Bond	HP-S0400
800	Yellow	Resin Bond	HP-S0800
1800	Blue	Resin Bond	HP-S1800
3000	Orange	Resin Bond	HP-S3000



AUTOMATIC POLISHING



Apollo Spider Web Snail Lock Edge Polishing Disc

- Straight and round edge line polishing wheels
- 8mm thick white resin design for longevity and residue-free polish on Engineered Stone
- Equipped 5mm PVC plate and 3mm rubber to help reduce vibrations
- Snail lock attachment with 1" (25mm) arbor

Grit	5" Pads	6" Pads
50	5SLF0050	6SLF0050
100	5SLF0100	6SLF0100
200	5SLF0200	6SLF0200
400	5SLF0400	6SLF0400
800	5SLF0800	6SLF0800
1500	5SLF1500	6SLF1500
3000	5SLF3000	6SLF3000



Apollo Water Pocket Pro Snail Lock Polishing Pads

- Good for polishing straight edges on Granite, Marble & Engineered Stone
- Water pocket style keeps water distributed throughout application

Grit	4" Pads	5" Pads
30	-	5SL0030
50	4SL0050	5SL0050
100	4SL0100	5SL0100
200	4SL0200	5SL0200
400	4SL0400	5SL0400
800	4SL0800	5SL0800
1500	4SL1500	5SL1500
3000	4SL3000	5SL3000



Apollo Water Pocket Snail Lock Polishing Pads - White Resin

- Good for polishing straight edges on Engineered Stone
- White color resin will not leave residue on light/white colored stone
- Water pocket style keeps water distributed throughout application

Grit	5" Pads
30	5SL0030W
50	5SL0050W
100	5SL0100W
200	5SL0200W
400	5SL0400W
800	5SL0800W
1500	5SL1500W
3000	5SL3000W

SURFACE POLISHING & RESTORATION

Weha Donkey Pads for Quartz Surface Polishing

- Velcro backed diamond sponge system holds a lot of water
- Good for repairing the surface of Engineered Stone, Granite & Marble
- Great for scratch repair, blending seams and polishing edges
- Recommended speed: 800-1200 RPM

Grit	4" Pads	5" Pads
600	WH-4DP0600	WH-5DP0600
1000	WH-4DP1000	WH-5DP1000
2000	WH-4DP2000	WH-5DP2000
3000	WH-4DP3000	WH-5DP3000
6000	WH-4DP6000	WH-5DP6000
10,000	WH-4DP10000	WH-5DP10000



Cotton Felt Buffing Pads

- Compressed cotton felt buffing pads
- For use with polishing powders, pastes and wax bars
- Suitable for buffing and applying polish to all natural stone and engineered stone
- Velcro backed

Diameter	Item Code
5"	CBF-5PAD
7"	CBF-7PAD



Monkey Pads for Marble Surface Restoration & Maintenance

- Revolutionary method for honing & polishing Marble, Travertine, Limestone, Concrete & Terrazzo
- Intended for light restoration and maintenance
- Eco-friendly, non-toxic and chemical-free
- Easy to use, just add water
- Available in 5" / 6" for use on variable speed polisher (600-3000 RPM) for vertical surface polishing and countertop
- Available in 17" / 20" for use on standard floor machines (175-350 RPM) for floor polishing and maintenance

Grit	5" Pads	6" Pads	17" Pads	20" Pads
100	5M0100	6M0100	17M0100	20M0100
200	5M0200	6M0200	17M0200	20M0200
400	5M0400	6M0400	17M0400	20M0400
800	5M0800	6M0800	17M0800	20M0800
1500	5M1500	6M1500	17M1500	20M1500
3000	5M3000	6M3000	17M3000	20M3000
8000	5M8000	6M8000	17M8000	20M8000
11,000	5M11000	6M11000	17M11000	20M11000





StoneTech Honing Powder

- Non-acidic, designed for professional use only
- Creates an even/honed/flat finish and prepares stone to take on polish/shine
- Different grits eliminate mild to deep scratches
- 1500-2000 square ft per lb, depending on the porosity of the surface & honing powder grit
- Recommended for Marble, Limestone, Travertine & Terrazzo


Grit	Size	Item Code
400	850g /1.9lb canister	ST-HP400
600	850g /1.9lb canister	ST-HP600
800	850g /1.9lb canister	ST-HP800



Tenax Polishing Powder

- Formulated specifically to create high gloss finish on stone
- Can be used on countertops and floors or for general maintenance
- Simple & easy to use: mix with water to make paste, then buff with felt buffing pads
- Polishes up to 300-400 sq ft per 1kg bucket, depending on surface's porosity

Type	Size	Item Code
Granite	1 kg / 2.2 lb	TN-PDGRANITE
Marble	1 kg / 2.2 lb	TN-PDMARBLE



Italian Craftsman Polish - 16oz

- Cleans, polishes & protects against rings and stains
- Great for maintaining/preserving countertops and vanities
- Special formula for Marble, Granite & Engineered stone
- Contains no wax
- Do not use on floors

Item Code
ITCMP.16OZ

General Purpose Polishing Paste

- Designed for professional use
- Achieve high gloss finish on Granite, Marble, Engineered Stone & Concrete
- Great for eliminating etch marks and light scratches
- Up to 500 sq ft per 1kg
- Recommended speed: 175-1500 RPM

Size	Item Code
1 kg	AP-GPP.1KG
2 kg	AP-GPP.2KG
5 kg	AP-GPP.5KG



Quartz Renew Starter Kit & Accessories

- Designed for restoring and repair quartz countertops without any damage or risk
- Can be used to remove light hazing from chemical burns, hard water spotting, minor surface blemishes, or even previously-applied sealers
- Three-step process designed to blend 'snake skin' appearance and remove residual hazing after successfully removing damage with diamond polishing
- Quartz Renew Kit comes with 3 polishing compounds

Description	Item Code
Quartz Renew Starter Kit - 8oz bottles (#1, #2, #3)	QRNEW.STK

Description	Item Code
6" Sheep Skin Buffing Pad for #1 Snake Skin Revealer	CBF-6SSBF
6" Green Foam Buffing Pad for #2 Resin Polish	CBF-6.5G
6" White Foam Buffing Pad for #3 Final Polish	CBF-6.5W
5" Sheep Skin Buffing Pad	CBF-5SSBF

Description	Item Code
Quartz Renew 4" Pad - Step #1	QRNEW-SP1
Quartz Renew 4" Pad - Step #2	QRNEW-SP2
Quartz Renew 4" Pad - Step #3	QRNEW-SP3
Quartz Renew 4" Pad - Step #4	QRNEW-SP4

6" Sheep Skin Pad



6" Green Foam Pad



6" White Foam Pad



Quartz Renew 4" Pad



Quartz Renew Starter Kit - 8oz bottles

NSI Top Polish Kit for Granite & Quartzite

- This process is completely wet but can still be accomplished in a home
- Great for top polishing seams, repairing scratched & damaged countertops
- Excellent for fixing/repairing damaged slabs prior to & during fabrication
- Less down pressure is required to achieve final shine and less damaging heat is generated

Kit Includes	Item Code
SL3 Snail Lock Adapter (5/8"-11 thread)	NSI-TPKIT
(4) SL3 3" Center Hub Hook & Loop Backers	
150 Grit SL3 Floating Turbo (Red)	
300 Grit SL3 Floating Turbo (Yellow)	
500 Grit SL3 Floating Turbo (Blue)	
1000 Grit SL3 Floating Turbo (Dark Green)	
(3) SL3 True 4" Rigid Hook & Loop Backers	
1000 Grit 4" Redeemer Resin (Dark Green)	
2000 Grit 4" Redeemer Resin (Orange)	
3000 Grit 4" Redeemer Resin (Purple)	
SL3 7" Rigid Hook & Loop Backer	
SL3 3" Rigid Hook & Loop Backer	
(3) 7 3/4" Natural Blend Tan Pad (includes 3 1/4" center cut)	
8.5 oz. MB020 Granite Polish	
Presto white out pen	
China Markers (red & white)	



Tenax Telux Liquid Stone Varnish

- Suitable for Marble, Granite & Onyx
- Creates a polished effect to both smooth and raw materials
- Forms a hard & durable anti-scratch film
- For both countertops and floor applications
- UV Stable - does not yellow

Size	Item Code
1L	TN-SP1Q





Tenax CeraFluida Liquid Wax

- Liquid wax good for Onyx, Marble, Granite & Terrazzo
- On marbles, it increases polish, eliminates superficial defects and accents the color
- On granites, it increases polish and enhances color
- Interior/exterior use
- Coverage: 215-323 sq ft per quart depending on porosity of stone

Size	Item Code
1L	TN-LW.CFNEW



Tenax TeWax Paste Wax

- Good for Onyx, Marble, Granite, Quartz & Terrazzo
- Paste wax used to increase the polish gloss from 5-6 to 15-16 points
- No solvents that contain trichloroethylene
- Interior use only

Colour	Size	Item Code
Black	1L	TN-WXB
Clear	1L	TN-WXW



Tenax Shinex Liquid Silicone Wax

- Ideal for polished Marble, Granite, Quartz, Onyx & Terrazzo
- Liquid silicone wax with stain resistant action, intensifies the original tone of materials & increases shine
- No residual surface film
- Coverage: 215-323 sq. ft. per quart depending on porosity of stone

Size	Item Code
1L	TN-SHINEX.1L



Wax Polishing Bars for Natural Stone

- Fine abrasives used in the final stages of polishing Marble & Granite
- Use with a cotton buffing wheel to dramatically increase shine and gloss after polishing

Colour	Item Code
White	WXB-W
Black	WXB-B

TEXTURING TOOLS

ALPHA

Alpha Ceramica TF Texturing Pads for Engineered Stone

- Create textured finishes on Engineered Stone/Quartz surfaces
- Flexible discs reaches tight corners easily
- Use with undersized backer pads for internal corners and sink rims
- Wet use only
- Max. speed: 4000 RPM

Description	Item Code
4" Ceramica TF Texturing Pads (Kit includes: Pos. 0, 1, 2, 3)	AL-TF40KIT



Diamond Texturing Brushes

- Creates a beautiful antique/leather finish on stone by breaking/removing the polish on slabs
- High bristle count for long lasting use
- 5/8"-11 thread and snail lock attachment for convenient usage
- Wet use on Granite & Engineered Stone
- Recommended Speed: 800 RPM, Max. Speed: 3000 RPM

Grit	4" Brush
36	DB-4.36
46	DB-4.46
80	DB-4.80
120	DB-4.120
240	DB-4.240
320	DB-4.320
500	DB-4.500



Silicone Carbide Texturing Brushes

- Used to create a soft antique finish
- High bristle count for long lasting use
- 5/8"-11 thread and snail lock attachment for convenient usage
- Wet use for Marble, Limestone & other soft stones
- Recommended Speed: 800 RPM, Max. Speed: 3000 RPM

Grit	4" Brush
36	DB-4.SC36
80	DB-4.SC80
120	DB-4.SC120
240	DB-4.SC240
320	DB-4.SC320





Replacement Roller

Bush Hammer for Texturing

- Designed for texturing Natural stone, Engineered Stone, Concrete & Masonry products
- Can be used for coating removal and to creates a texturized anti-slip surface
- Wet use only, 5/8"-11 thread
- Max. Speed: 700 RPM

Description	Item Code
5" Bush Hammer	BH
Replacement Roller (EACH)	BH.R

Rockbiter
The Ultimate Stone Chiseling Tool



The Rockbiter II

- Create beautiful split face chiseled edge from 2cm to 6cm on all natural stones
- Efficient and safer edge production than many similar tools, but without harsh impacts

Description	Item Code
Rockbiter II Stone Chisel Tool for up to 6cm thick edge	SC-RBII

BACKING ADAPTORS

Rubber Backing Adaptors

- Rubber velcro pad holder
- Various types of rubber ranging in rigidity and flexibility
- 5/8" - 11 thread

Size	Type	Item Code
3"	Hard Rubber	BK-HRB3
4"	Hard Rubber	BK-HRB4
4"	Semi-Rigid Rubber	BK-SRG4
3-3/4"	Semi-Rigid Flexible Rubber	BK-SFR4
3"	Flexible Rubber	BK-FR3


Size	Type	Item Code
4"	Flexible Rubber	BK-FR4
5"	Flexible Rubber	BK-FR5
3"	Ultra Flexible Rubber	BK-UF3
4"	Ultra Flexible Rubber	BK-UF4

Semi-Rigid Rubber Semi-Rigid Flexible Rubber



Flexible Rubber

Ultra Flexible Rubber



Rigid Plastic Backing Adaptors

- Hard plastic velcro pad holder
- Rigid plastic back pad with zero flex
- 5/8"-11 thread

Size	Type	Item Code
3"	Rigid Plastic	BK-RG3
4"	Rigid Plastic	BK-RG4
4"	Rigid Plastic with Foam	BK-RGS4
4"	Thin Plastic Rigid	BK-RG4.THIN

Rigid Plastic



Rigid Plastic w/ Foam Thin Plastic Rigid



Black with Yellow Foam Backing Adaptors

- Rigid plastic back pad with zero flex
- Foam cushioned velcro for better force distribution
- 5/8"-11 thread

Size	Item Code
3"	BK-BYF3
4"	BK-BYF4
5"	BK-BYF5



Blue with Yellow Foam Backing Adaptors

- Strong grip hook & loop velcro
- Cushioned velcro for better force distribution
- 5/8"-11 thread

Size	Item Code
3"	BK-YF3
4"	BK-YF4
5"	BK-YF5
6"	BK-YF6
7"	BK-YF7
8"	BK-YF8





Black with Blue Foam Backing Adaptors

- Foam cushioned velcro pad holder
- 5/8"-11 thread

Size	Item Code
4"	BK-BF4
5"	BK-BF5



Aluminum Backing Adaptor

- Hard with zero flex
- 5/8"-11 thread

Size	Item Code
4"	BK-ALU4
5"	BK-ALU5



Aluminum Snail Lock Backing Adaptors

- Rubber internals for superior vibration reduction
- Aluminum structure and plastic base plate for improved durability and balance
- 5/8"-11 thread

Size	Item Code
4"	AD-4SLA
5"	AD-5SLA



Velcro Snail Lock Backing Adaptors

- 5" is available in different arbor shapes to accommodate different types of automated edge polishing machines
- Rigid design with hook & loop velcro backing

Size	Arbor Shape	Item Code
4"	Circle	BK-VSLA4
5"	Circle	BK-VSLA5.C
5"	Hexagon	BK-VSLA5.F
5"	Oval	BK-VSLA5.O

CORE BITS

Apollo A-Team Pro Blue Core Bits

- Highly efficient coring bit designed for fast, aggressive chip free drilling with excellent lifespan
- Good for Granite, Quartzite, Jade, Engineered Stone, Marble, Porcelain tile & Concrete
- Recommended speed: 4000 - 6500 RPM
- 5/8"-11 thread
- Dry/wet use

Size	Item Code
3/16"	GC-AT316.50
1/4"	GC-AT14.50
5/16"	GC-AT516.50
3/8"	GC-AT38.50
1/2"	GC-AT12.50
5/8"	GC-AT58.50
3/4"	GC-AT34.50
7/8"	GC-AT78.50
1"	GC-AT1.50
1-1/8"	GC-AT118.50
1-1/4"	GC-AT114.50
1-3/8"	GC-AT138.50
1-1/2"	GC-AT112.50
1-5/8"	GC-AT158.50
1-3/4"	GC-AT134.50
1-7/8"	GC-AT178.50
2"	GC-AT2.50
2-1/4"	GC-AT214.50
2-3/8"	GC-AT238.50

Size	Item Code
2-1/2"	GC-AT212.50
2-5/8"	GC-AT258.50
2-3/4"	GC-AT234.50
3"	GC-AT3.50
3-1/4"	GC-AT314.50
3-1/2"	GC-AT312.50
3-3/4"	GC-AT334.50
4"	GC-AT4.50
4-1/4"	GC-AT414.70
4-1/2"	GC-AT412.50
4-3/4"	GC-AT434.70
5"	GC-AT5.50
5-1/4"	GC-AT514.50
5-1/2"	GC-AT512.50
5-3/4"	GC-AT534.70
6"	GC-AT6.70
6-1/4"	GC-AT614.70
7"	GC-AT7.70
8"	GC-AT8.70

With Vacuum Brazed Side Diamond Protection

Size	Item Code
1-3/8"	GC-AT138.50V
2"	GC-AT2.50V
3"	GC-AT3.50V

Vacuum Brazed



Apollo Dry Core Bits with Vacuum Brazed Side Diamond

- Cost effective high speed dry core bits for Granite, Quartzite, Engineered Stone & Concrete
- T-segment core bits offers fast coring with less burning
- Vacuum brazed side diamond protection allows for longer life & easy debris removal
- 5/8"-11 thread
- Dry/wet use

Size	Item Code
GC-VS114	1-1/4"
GC-VBD138	1-3/8"
GC-VS112	1-1/2"



Apollo Thin Wall Core Bits

- Thin wall design for clean & precise chip free drilling
- Good for Engineered Stone, Marble, Ceramic tile, Porcelain tile/slab & Dekton
- Recommended speed: 2000-4000 RPM
- 5/8"-11 thread
- Wet use


Size	Item Code
1-1/8"	CB-TW118
1-1/4"	CB-TW114
1-3/8"	CB-TW138
1-1/2"	CB-TW112
1-3/4"	CB-TW134



ALPHA**Alpha Dry High-Speed Core Bits**

- Designed for jobsite drilling of faucet mounting holes in countertops
- Good for Granite, Quartzite, Engineered Stone & Porcelain
- Recommended speed: 6000-12,000 RPM
- 5/8"-11 thread
- Dry use

Size	Item Code
1/2"	AL-12
3/4"	AL-34
1"	AL-1
1-1/4"	AL-114
1-3/8"	AL-138
1-1/2"	AL-112
2"	AL-2

ALPHA**Alpha Laser Segmented High Speed Core Bits**

- Designed to Granite, Quartzite, Marble, Concrete, Engineered Stone, Porcelain slabs & Crystallized Glass
- Can be used with core bit extension for hammer drill/rotary hammer
- Max. speed: 12,000 RPM
- 5/8"-11 thread
- Dry/wet use

Size	Item Code
1"	AL-LB1
1-1/2"	AL-LB112
2"	AL-LB2
3"	AL-LB3
4"	AL-LB4

**Apollo Vacuum Brazed Black Core Bits**

- Fast & precise chip free holes on Marble, Limestone, Soapstone & Travertine
- Vacuum brazed diamonds for long lasting use
- Recommended speed: 3000-11,000 RPM
- 5/8"-11 thread
- Dry/wet use

Size	Item Code
4/7"	CB-MVB47
3/4"	CB-MVB34
1"	CB-MVB1
1-1/4"	CB-MVB114
1-3/8"	CB-MVB138
1-1/2"	CB-MVB112
2"	CB-MVB2

**Apollo Gold Vacuum Brazed Core Bits**

- Cost effective vacuum brazed diamond core bits for drilling smooth chip free holes
- Good for Porcelain tile, Ceramic tile and soft Marble & Limestone
- Recommended speed: 7000-10,000 RPM
- 5/8"-11 thread
- Dry use (water is optional)

Size	Item Code
3/16" Gold Vacuum Brazed Drill Bit	CB-G316
1/4" Gold Vacuum Brazed Drill Bit	CB-G14
3/8" Gold Vacuum Brazed Drill Bit	CB-G38
1/2" Gold Vacuum Brazed Drill Bit	CB-G12
1-3/8" Gold Vacuum Brazed Core Bit	CB-G138

Core Bit Adaptor

- 5/8" - 11 male spindle to 3/8" male shank
- Converts 5/8"-11 threaded core bits for use on hand-held power drills

From / To	Item Code
5/8"-11 M to 3/8" M	AD-SS



Core Bit Extension Adaptor

- Extends the length of core bits for extra coring depth
- Converts 5/8"-11 spindle to 5/8"-11 thread

Size	From / To	Item Code
6" length	5/8"-11 M to 5/8"-11 F	AD-5/8-11.6
12" length	5/8"-11 M to 5/8"-11 F	AD-5/8-11.12



AD-5/8-11.12
5/8"-11 M to 5/8" - 11F, 12" Length




AD-5/8-11.6
5/8"-11 M to 5/8" - 11F, 6" Length

Core Bit Adaptor

- Heavy duty adaptor that feeds water for wet coring
- Made of brass and stainless steel
- 5/8" - 11 male spindle to 3/8" male shank with 1/4" water hose connection

From / To	Item Code
5/8"-11 M to 3/8" M	AD-CBWATER






Apollo Sintered Diamond Router Bits

- Available in Segmented OR Continuous Rim design
- Segmented type offers aggressive grinding/shaping and rapid stock removal
- Continuous rim type offers fast/clean chip-free performance
- Suitable for Granite, Quartzite, Marble and Engineered Stone
- Wet use only
- Max. speed: 8000 RPM



Shape	Pos. / Type	Item Code
A20	Pos. 1 / Cont Rim	PB-PA20.P1
B20	Pos. 0 / Segmented	PB-P.B20.P0
B20	Pos. 1 / Cont Rim	PB-P.B20.P1
E30	Pos. 1 / Cont Rim	PB-P.E30.P1
F20	Pos. 1 / Cont Rim	PB-P.F20.P1
F25	Pos. 1 / Cont Rim	PB-P.F25.P1
F25	Pos. 2 / Cont Rim	PB-P.F25.P2
F30	Pos. 1 / Cont Rim	PB-P.F30.P1
O20	Pos. 1 / Cont Rim	PB-P.O20.P1
Q20	Pos. 1 / Cont Rim	PB-P.Q20.P1
T20	Pos. 1 / Cont Rim	PB-P.T20.P1
T30	Pos. 1 / Cont Rim	PB-P.T30.P1
T40	Pos. 1 / Cont Rim	PB-P.T40.P1
V20	Pos. 1 / Cont Rim	PB-P.V20.P1
V30	Pos. 1 / Cont Rim	PB-P.V30.P1
V40	Pos. 2 / Cont Rim	PB-P.V40.P2
V40	Pos. 3 / Cont Rim	PB-P.V40.P3
V50	Pos. 1 / Cont Rim	PB-P.V50.P1

Shape	Pos. / Type	Item Code
B20	Pos. 1 / Cont Rim	PB-A.B20.P1
B20	Pos. 2 / Cont Rim	PB-A.B20.P2
E30	Pos. 1 / Cont Rim	PB-E30.P1
E45	Pos. 1 / Cont Rim	PB-E45.P1
F20	Pos. 0 / Segmented	PB-F20.P0
F20	Pos. 1 / Cont Rim	PB-F20.P1
F20	Pos. 2 / Cont Rim	PB-F20.P2C
F20	Pos. 3 / Cont Rim	PB-F20.P3C
F20	Pos. 4 / Cont Rim	PB-F20.P4C
F20	Pos. 5 / Cont Rim	PB-F20.P5
F20	Pos. 6 / Cont Rim	PB-F20.P6
F20	Pos. 7 / Cont Rim	PB-F20.P7
DO26	Pos. 1 / Cont Rim	PB-DO26T
H30	Pos. 1 / Segmented	PB-H30.P1.S
V30	Pos. 0 / Segmented	PB-V30.P0
V40	Pos. 0 / Segmented	PB-V40.P0
V40	Pos. 1 / Cont Rim	PB-V40.P1




M2N Light Duty Router Machine

- Light duty stone router for creating profiles on Granite, Quartzite, Marble & Engineered stone countertops
- 3 hp with variable speed control, perfect for polishing, cutting and grinding
- 35 lb - offers great weight distribution ratio
- 110 voltage, three prong power cord
- Max. stone thickness: 40mm; Max. bit diameter: 100mm

Speed	Type	Item Code
0-8500 RPM	Hydrofloat with roller ball base	AP-M2N-VBRB

SHAPE DIAGRAM

We can custom order any profile edge in the diagram below based on your required specifications. Please contact one of our expert sales representative to place your inquiry/special order.





VACUUM BRAZED PROFILERS

Apollo Vacuum Brazed Profilers

- Vacuum brazed diamonds exposed on the outer layer allows for fast & precise shaping
- Suitable for Marble, Limestone, Porcelain slabs/tiles, Granite, Engineered Stone & Concrete
- 5/8"- 11 thread
- Dry/wet use
- Max. speed: 4000 RPM



Shape	Description	Item Code
A5	3/16" Eased Edge - Coarse	PB-VBA.3/16R
A6	1/4" Eased Edge - Coarse	PB-VBA.1/4R
E5	3/16" Bevel Edge - Coarse	PB-VBE5
E10	3/8" Bevel Edge - Coarse	PB-VBE10
E20	3/4" Bevel Edge - Coarse	PB-VBE20
F10	3/8" Ogee Edge - Coarse	PB-VBF10
F20	3/4" Ogee Edge - Coarse	PB-VBF20
F20	3/4" Ogee Edge - Fine	PB-VBF20.F
F30	1-1/4" Ogee Edge - Coarse	PB-VBF30
H20	3/4" Dupont Edge - Coarse	PB-VBH20
L20	3/4" Cove - Coarse	PB-VBL20
V10	3/8" Full Bullnose - Coarse	PB-VBV10
V13	1/2" Full Bullnose - Coarse	PB-VBV12
V30	1-1/4" Full Bullnose - Fine	PB-VBV30.F
V40	1-1/2" Full Bullnose - Coarse	PB-VBV40
V40	1-1/2" Full Bullnose - Fine	PB-VBV40.F

ALPHA

Alpha Vacuum Brazed Profilers

- Vacuum brazed technology, diamonds best suited for harder materials
- Good for Granite, Engineered stone, Marble, Concrete, Crystallized glass & Porcelain slabs/pavers
- Nylon guide and rotary touchier assures proper depth of cut is achieved
- 5/8"-11 thread & internal water passage holes
- Wet use only



Shape	Description	Item Code
B5	3/16" Demi Bullnose Edge	PB-ALVBB5
B10	3/8" Demi Bullnose Edge	PB-ALVB38
B13	1/2" Demi Bullnose Edge	PB-ALVBB13
B20	3/4" Demi Bullnose Edge	PB-ALVBB20
V20	3/4" Full Bullnose Edge	PB-ALVBV20
V30	1-1/4" Full Bullnose Edge	PB-ALVBV30
V40	1-1/2" Full Bullnose Edge	PB-ALVBV40
Z30	1-1/4" Straight Edge	PB-ALVBZ30

CNC TOOLS

Apollo A-Team Pro CNC Core Bits - Standard Thread 1/2" Gas

- Professional grade diamonds on these CNC core bits offer excellent life span
- Available in 50mm or 70mm length in L-Type & T-Type turbo segment design
- Standard 1/2" gas attachment for use on CNC machines
- For Granite & Engineered stone
- Recommended parameters: 3500-3750 RPM; Feed rate: 2"- 4" ipm

Diameter	Description	Item Code
3/4"	T-Type segments, 70mm length	CNC-AT34
1"	L-Type segments, 50mm length	CNC-AT1.85
1-1/4"	T-Type segments, 70mm length	CNC-ATT114
1-1/4"	L-Type segments, 70mm length	CNC-ATL114
1-3/8"	L-Type segments, 50mm length	CNC-AT138.85
1-3/8"	L-Type segments, 70mm length	CNC-ATL138
1-1/2"	L-Type segments, 70mm length	CNC-ATL112



Apollo A-Team Pro CNC Core Bits - Reverse Thread 1/2" Gas

- Professional grade diamonds on these CNC core bits offer excellent life span
- Available in 50mm or 70mm length in L-Type turbo segment design
- Reverse 1/2" gas attachment for use on CNC machines
- For Granite & Engineered stone
- Recommended parameters: 3500-3750 RPM; Feed rate: 2"- 4" ipm

Diameter	Description	Item Code
1"	L-Type segments, 70mm length	CNC-AT1.RTH
1-1/4"	L-Type segments, 70mm length	CNC-AT114.RTH
1-1/8"	L-Type segments, 70mm length	CNC-AT138.RTH
1-1/2"	L-Type segments, 70mm length	CNC-AT112.RTH
2"	L-Type segments, 70mm length	CNC-AT2.RTH
6"	L-Type segments, 70mm length	CNC-AT6.RTH




Apollo A-Team Pro CNC Finger Bits - Standard Thread 1/2" Gas

- Professional grade CNC finger bits available in various lengths
- For Granite, Engineered Stone & Marble
- Standard 1/2" gas connection for use on CNC machines

Recommended Parameters

Speed(RPM)	Feed Rate(IPM)	Size (Diameter x Length)	Item Code
4800-5500RPM	15 IPM	25mm x 30mm	CNC-ATFB30
4400-4600 RPM	12 IPM	25mm x 35mm	CNC-ATFB35
3900-4200 RPM	8-10 IPM	25mm x 40mm	CNC-ATFB40
		25mm x 40mm (w/ extra bottom segment)	CNC-ATFB40.S
		25mm x 50mm	CNC-ATFB50
		25mm x 60mm	CNC-ATFB60



without segment





DS CNC Finger Bits - Standard Thread 1/2" Gas

- DS Quartzite Finger Bit (purple): Speed: 5500-5800 RPM; Feed Rate: 10" - 20"/min
- DS Twin Segment Finger Bit (red): Speed: 5500-5800 RPM, Feed Rate: 13" - 14"/min
- DS Absolute TT Finger Bit (orange): Speed: 5500-5800 RPM, Feed Rate: 11" - 12"/min
- DS Porcelain/Dekton Finger Bit (white): Speed: 3200-3500 RPM. Feed Rate: 13" - 14"/min
- It's recommended to run at half the IPM for the first 36-72"; Entry and exit should be 50% of the full speed

Size (Diameter x Length)	Material Type/Colour	Item Code
20mm x 40mm	Quartzite / Purple	CNC-DS.FB.QZ.L40
20mm x 40mm	Granite, Engineered Stone, Sandstone / Red	CNC-DS.FB.TT.L40
20mm x 40mm	Granite, Marble, Engineered Stone / Orange	CNC-DS.FB.TTG
20mm x 35mm	Dekton, Neolith, Lapitec / White	CNC-DS.FB.TTK.L35



Apollo CNC Finger Bit - Standard Thread 1/2" Gas

- For Granite and Engineered Stone
- Standard 1/2" gas connection for use on CNC machines

Size (Diameter x Length)	Item Code
20mm x 50mm	CNC-FB50



Apollo A-Team Vacuum Brazed CNC Finger Bits

- Designed specifically for Marble
- Standard 1/2" gas connection for use on CNC machines

Size (Diameter x Length)	Item Code
20mm x 40mm	CNC-FBM40
20mm x 50mm	CNC-FBM50
20mm x 60mm	CNC-FBM60



Apollo Incremental Finger Bit Holders

- Compatible with M12 incremental finger bits
- 20mm length
- Available in 1/2" gas, standard and reverse thread options

Thread	Item Code
Continuous Rim	CNC-DS.CRBIT
Continuous Rim	CNC-DS.CRBIT.R

Apollo A-Team Incremental Finger Bits

- Professional grade diamond incremental finger bits designed for sink cutouts with radial arm machines
- Continuous rim design for smooth chip free cutting performance
- Diameter: 20mm x Length: 20mm, M12 Connection

Recommended Parameters

Speed(RPM)	Feed Rate(IPM)
4800-5500RPM	15 IPM
4400-4600 RPM	12 IPM
3900-4200 RPM	8-10 IPM

Bond	Material Type	Item Code
Regular	Engineered Stone, Marble	CNC-ATBIT
Soft	Granite, Quartzite	CNC-ATBIT.S



DS Incremental Finger Bits

- DS Easy Bits are free cutting with long life, designed for Granite & Engineered Stone
- Continuous rim design for smooth chip free cuts
- Turbo segmented design for aggressive cutting action with enhanced debris clearing
- Diameter: 20mm x Length: 20mm, M12 Connection
- Speed: 8500-10,000 RPM; Feed Rate: 200-500 mm/min; Stock Removal: 2-3mm

Style	Material Type/Thread	Item Code
Continuous Rim	Granite, Engineered Stone / Standard Thread	CNC-DS.CRBIT
Continuous Rim	Granite, Engineered Stone / Reverse Thread	CNC-DS.CRBIT.R
Segmented	Granite, Engineered Stone / Standard Thread	CNC-DS.SEGBIT
Segmented	Granite, Engineered Stone / Reverse Thread	CNC-DS.SEGBIT.R



DS Incremental Finger Bits for Quartzite

- DS Easy Bit-Q designed specifically for cutting Quartzite
- Turbo segmented (castle) design for aggressive cutting action with enhanced debris clearing
- Diameter: 20mm x Length: 20mm, M12 Connection
- Speed: 4900 RPM Feed Rate: 500-600mm/min; Depth: 1.0mm/pass

Style	Thread	Item Code
Segmented	Standard Thread	CNC-DS.SEG.QZ
Segmented	Reverse Thread	CNC-DS.SEG.QZ.R



DS Easy Bit for Incremental Cutting

- For incremental cutting of Granite and Engineered Stone
- Grit# 30 - coarse diamond metal bond provides fast and clean milling performance
- Micro incremental bits are designed for cutting at faster speeds
- Used for milling tight corners and outlet holes
- Max. 12,000 RPM
- Standard 1/2" Gas connection for use on CMM machines

Description	Item Code
Diameter: 15mm (5/8") x Height: 20mm	CNC-DS.EB





Apollo CNC Vacuum Brazed Diamond Drum Wheels

- Diameter: 3/4" (20mm)
- Vacuum brazed drum wheels for grinding/polishing tight radius corners and sink cut-outs
- For Granite, Marble, and Engineered Stone
- Wet use only
- Standard 1/2" gas connection for use on CNC machines

Pos./Grit	Item Code
Pos.1 / Grit#30/40	CNC-VBDW34.P1
Pos.2 / Grit#60	CNC-VBDW34.P2
Pos.3 / Grit#80	CNC-VBDW34.P3



Apollo Premium CNC Router Bits: T-Shape

- Creates a Double Eased Edge
- Available in 2cm and 3cm from position 1-4
- Recommended speed: 4500-5000 rpm; Feed rate: 600mm/min
- Standard 1/2" gas connection

Shape	Pos. / Type	Item Code
T20 (R3)	Pos. 1 / Cont Rim	CNC-ST.T20R3P1
T20 (R3)	Pos. 2 / Cont Rim	CNC-ST.T20R3P2
T20 (R3)	Pos. 3 / Cont Rim	CNC-ST.T20R3P3
T20 (R3)	Pos. 4 / Cont Rim	CNC-ST.T20R3P4
T30 (R3)	Pos. 1 / Cont Rim	CNC-ST.T30R3P1
T30 (R3)	Pos. 2 / Cont Rim	CNC-ST.T30R3P2
T30 (R3)	Pos. 3 / Cont Rim	CNC-ST.T30R3P3
T30 (R3)	Pos. 4 / Cont Rim	CNC-ST.T30R3P4



Apollo A-Team CNC Gauging Wheels

- Gauging wheels prepare the slab by reducing the thickness of the material to a uniform consistency
- 25mm tall segments
- Recommended Speed: 4500-5000 RPM
- For Granite, Marble & Engineered Stone
- Available in 1/2" gas, standard and reverse thread options

Size (Diameter x Height)	Thread	Item Code
2" x 1"	Reverse 1/2" Gas	CNC-GW.2R
4" x 1"	Reverse 1/2" Gas	CNC-GW.4R



CNC-ADP58M.R
5/8"-11 M to Reverse 1/2" Gas

CNC-ADP58M
5/8"-11 M to Standard 1/2" Gas

Apollo CNC Adaptors

- Selection of adaptors to convert diamond tools to 1/2" Gas connection (standard or reverse thread) for use on CNC machines



CNC-ADPM8F
M8 Female to Standard 1/2" Gas

CNC-ADPM10F
M10 Female to Standard 1/2" Gas

From / To	Item Code
5/8"-11 Male to Standard 1/2" Gas	CNC-ADP58M
5/8"-11 Male to Reverse 1/2" Gas	CNC-ADP58M.R
M8 Female to Standard 1/2" Gas	CNC-ADPM8F
M10 Female to Standard 1/2" Gas	CNC-ADPM8F

DEKTON TOOLS



Apollo A-Team Dekton/Porcelain Bridge Saw Blade

- Diamond bond designed specifically for Dekton & Ultra-Compact Porcelain Slabs
- Arbor: 50/60mm with CNC Holes: 2 for Breton, 1 for Donatoni

Diameter	Item Code
14"	TB-ATDEKT14
16"	TB-ATDEKT16



Italdiamant Evogres Plus Dekton Bridge Saw Blade

- Designed for cutting 8mm to 20mm thick Dekton & Ultra-Compact Porcelain Slabs
- Evogres Plus provides 15% longer life and can be used for miter/straight cuts
- Arbor: 50/60mm with CNC Holes: 2 for Breton, 1 for Donatoni
- Made in Italy, certified & approved by Cosentino
- Available now in DKT3 version: cuts 10-15% faster & 10-20% longer life than PLUS

Evogres PLUS

Diameter	Item Code
14"	ITA-DEKT14.PLUS
16"	ITA-DEKT16.PLUS
18"	ITA-DEKT18.PLUS
20"	ITA-DEKT20.PLUS

Evogres DKT3

Diameter	Item Code
14"	ITA-DEKT14.DKT3
16"	ITA-DEKT16.DKT3
18"	ITA-DEKT18.DKT3



Tenax Dekton Bridge Saw Blades

- Specifically marketed to all sintered material fabricators
- Speed: 1900-2200 RPM
- Feed rate/straight cut: 800-2000mm per minute
- Feed rate/miter cut: 500-1400mm per minute

Diameter	Item Code
14"	TN-DEKT14
16"	TN-DEKT16





Terminator NanoCut.DK3 Bridge Saw Blades

- 13mm segment height provides excellent longevity
- Designed specifically for cutting Ultra Compact, Porcelain Slab/Tile [i.e. Dekton, Neolith, Lapitec, etc.]
- Features a reinforced core for added stability
- Arbor: 50/60mm with CNC Holes: 2 for Breton, 1 for Donatoni

Diameter	Item Code
16"	TB-TEM.NANO16
18"	TB-TEM.NANO18



Apollo A-Team Porcelain Tile Blade

- Diamond bond designed for Porcelain tile, Ultra-Compact Sintered Slabs (i.e. Dekton, Lapitec, Neolith), Ceramic tile, Marble tile
- Wet use only
- Arbor: 5/8" - 1"

Diameter	Item Code
10"	TB-ATP10



DS Dekton Incremental Finger Bit

- Approved for Dekton and other UCS materials
- Diameter: 20mm x Length: 20mm; M12 Connection
- Speed: 8,000 – 9,000 RPM with a cutting depth of 0.5mm per pass
- Feed Rate: 16" per minute

Style	Thread Type	Item Code
Segmented	Standard Thread	CNC-DS.SEGBIT.DEKT
Segmented	Reverse Thread	CNC-DS.SEGBIT.DEKT.R



Alpha Dekton CNC Finger Bit

- Segmented finger bit designed for CNC machines and radial arm workstations
- Designed for Dekton, Ultra-Compact Porcelain Slabs & Crystallized glass
- Diamonds and matrix minimize blow-out
- Standard 1/2" gas connection

Size (Diameter x Length)	Item Code
20mm x 30mm	CNC-ALFB30
20mm x 40mm	CNC-ALFB40

Alpha Dekton CNC Core Bits

- Designed for Dekton, Porcelain/Sintered slabs, Neolith, and Crystallized Glass
- Diamonds and matrix minimize blow out
- Standard 1/2" gas connection
- Recommended Working Parameters based on 3/4" (2cm) thick materials
- 4000 RPM
- Traverse Speed: 1-1/4" (30mm)/min
- Traverse Exit Speed: 5/8" (15mm)/min

Diameter	Item Code
1-1/4"	CNC-AL114.DKT
1-3/8"	CNC-AL138.DKT



Terminator Dekton CNC Core Bits

- Designed for dense Porcelain, Dekton and other compact ceramic materials
- Standard 1/2" gas connection
- Recommended Parameters: 3000-3400 rpm; Feed Rate: 3/8" ipm

Diameter	Item Code
1-3/8"	CNC-TEM138



Apollo A-Team Dekton CNC Core Bits

- Designed for dense Porcelain, Dekton and other compact ceramic materials
- Reverse 1/2" gas connection
- Recommended Parameters: 3000-3400 rpm; Feed Rate: 3/8" ipm

Diameter	Item Code
1"	CNC-ATDEK1.RTH
1-3/8"	CNC-ATDEK138.RTH



Apollo A-Team Wet Dekton/Porcelain Core Bits

- Diamond bond specifically crafted for professional use on Porcelain tiles, Dekton & all Ultra-compact Porcelain slabs
- T-shape segment for fast and smooth drilling performance
- Recommended speed: 7000-10,000 RPM
- 5/8"-11 thread
- Wet use only

Diameter	Item Code
1/4"	CB-ATP14
5/16"	CB-ATP516
3/8"	CB-ATP38
1/2"	CB-ATP12
3/4"	CB-ATP34
1"	CB-ATP1

Diameter	Item Code
1-1/4"	CB-ATP114
1-3/8"	CB-ATP138
2"	CB-ATP2
2-1/2"	CB-ATP212
3"	CB-ATP3
4"	CB-ATP4





Apollo A-Team Pro Dekton Grinder Blades

- For cutting Ceramic tiles, Porcelain tiles/slabs & Dekton
- Turbo continuous rim design for fast & smooth chip free cuts
- Reinforced center for stability & longer blade life
- Cooling holes provide maximum air flow to keep the blades as cool when used dry
- Dry/wet use

Diameter	Arbor	Item Code
4"	7/8" - 5/8"	TB-AT4
4.5"	7/8" - 5/8"	TB-AT45
5"	7/8" - 5/8"	TB-AT5



Apollo Mesh Pattern Turbo Tile Blades

- For cutting Porcelain, Ceramic tiles, tiles and Dekton
- Continuous rim design for smooth chip free cuts
- Diamond mesh pattern & cooling holes prevents blade from overheating while in use
- Quad adapter holes for flush cuts
- Dry/wet use

Diameter	Arbor	Item Code
4"	7/8" - 5/8" Quad Holes	TB-PFM4
5"	7/8" - 5/8" Quad Holes	TB-PFM5




Apollo K-Pattern Mesh Turbo Tile Blades

- For cutting Porcelain, Ceramic tiles, tiles and Dekton
- Continuous rim design for smooth chip free cuts
- Diamond mesh pattern & cooling holes prevents blade from overheating while in use
- Reinforced center for stability & longer blade life
- Dry/wet use

Diameter	Arbor	Item Code
4"	7/8" - 5/8"	TB-KP4
4.5"	7/8" - 5/8"	TB-KP45
5"	7/8" - 5/8"	TB-KP5
6"	7/8" - 5/8"	TB-KP6
7"	7/8" - 5/8"	TB-KP7
10"	1" - 5/8"	TB-KP10

ALPHA



Alpha Katana Dry Porcelain Blade

- Tile installer's choice for dry cutting
- Designed for cutting hard Porcelain tile/pavers, Dekton & Ultra-Compact Sintered Slabs
- For use on angle grinders & circular saws
- Dry/wet use

Diameter	Arbor	Item Code
4"	20mm, 5/8"	TB-ALKAT4
4.5"	7/8", 20mm	TB-ALKAT45
5"	7/8"	TB-ALKAT5
6"	7/8" \diamond 5/8"	TB-ALKAT6

Terminator Nanocut DK Vacuum Brazed Cup Wheel

- Fine grit for grinding Ultra Compact Porcelain Slab/Tile [i.e. Neolith, Dekton, Lapitec]
- 5/8"-11 thread
- Dry/wet use


Diameter	Grit	Item Code
4.5"	Fine	CW-TEM.DK4.F



Apollo Wet Dekton Polishing Pads

- For polishing/shaping the edges of Porcelain tiles, Dekton & Ultra Compact Porcelain Slabs
- Flexible design ideal for polishing inside corners, edges & areas with a tight radius

Grit	4" Pads
50	4WDEKT0050
100	4WDEKT0100
200	4WDEKT0200
400	4WDEKT0400
800	4WDEKT0800
1500	4WDEKT1500
3000	4WDEKT3000



For handling ultra-compact large format sintered/porcelain slabs, please check out our Material Handling section on pages 72-74 for heavy duty equipment to lift, transport and install these slabs.





ADHESIVES



Tenax Tixo Ex Transparent Knife Grade

- Knife grade consistency polyester glue
- Cure time: approx. 9-12 mins
- Transparent yellow colour resin, easy to colour & polishes to a high gloss
- Perfect for doing seams, filling cracks, chips & lamination work
- Glue to hardener ratio: 100:3

Size	Includes	Item Code
1L	1 x 33ml Fast Dry Paste Hardener	TN-KG1L
4L	1x 118ml Paste Hardener	TN-KG4L
17KG	4x 118ml Paste Hardener	TN-KG17KG



Tenax Transparent Flowing

- Smooth flowing consistency polyester glue
- Cure time: approx. 25-30 mins
- Transparent yellow colour resin, easy to colour & polishes to a high gloss
- Great for rodding applications to achieve strong bond to strengthen countertop for transport & installation
- Glue to hardener ratio: 100:3

Size	Includes	Item Code
1L	1 x 33ml Fast Dry Paste Hardener	TN-FL1L
4L	1x 118ml Paste Hardener	TN-FL4L
17KG	4x 118ml Paste Hardener	TN-FL17KG



Watch Video



Tenax Vertigo Knife Grade (S & T)

- Available in S = Smooth and T = Thick - knife grade consistency, non-drip formula
- Extremely strong with excellent adhesion
- Cures shiny and is very easily polished
- Near colorless appearance, excellent on light colored materials, and accepts color well
- Indoor use only: UV stable, very low yellowing
- Glue to hardener ratio: 100:1-2%
- Fast cure time: Vertigo S - 25-30 mins; Vertigo T - less than 20 mins

Vertigo S (Smooth)

Size	Includes	Item Code
Quart	1x 33ml Paste Hardener	TN-KGVS.Q
Gallon	1x 118ml Paste Hardener	TN-KGVS.G
17KG (5 Gallon)	4x 118ml Paste Hardener	TN-KGVS.17KG

Vertigo T (Thick)

Size	Includes	Item Code
Quart	1x 33ml Paste Hardener	TN-KGVT.Q
Gallon	1x 118ml Paste Hardener	TN-KGVT.G



Tenax Vertigo Flowing

- Water clear flowing consistency, even after adding the hardener
- Extremely strong with excellent adhesion with fast cure time of approx. 25-35 mins
- Cures with a high gloss and is very polishable
- Near colorless appearance, excellent on light colored materials
- Indoor use only: UV stable, very low yellowing
- Glue to hardener ratio: 100:1-2

Size	Includes	Item Code
Quart	1x 33ml Paste Hardener	TN-FLV.Q
Gallon	1x 118ml Paste Hardener	TN-FLV.G
17KG (5 Gallon)	4x 118ml Paste Hardener	TN-FLV.17KG



Watch Video



Tenax Solido Quarzo Quartz Knife Grade

- Knife grade consistency with precolored black or white options, and very polishable
- Cure time: approx. 25-30 mins
- Low VOC and for indoor use only on Engineered Stone
- Glue to hardener ratio: 100:3

Size	Description	Item Code
1L	Optical White, incl 1x 45ml Paste Hardener	TN-QOW
1L	Paper White, incl 1x 45ml Paste Hardener	TN-QPW
1L	White, incl 1x 45ml Paste Hardener	TN-QQW
1L	Black, incl 1x 45ml Paste Hardener	TN-QBL



Tenax Colored Knife Grade

- Suitable for repairing seams, cracks, chips, and lamination on all types of stone
- Cure time: approx. 25-30 mins, with good adhesion & very polishable
- Glue to hardener ratio: 100:3

Size	Description	Item Code
1L	White, incl 1x 45ml Paste Hardener	TN-KGW.1L
4L	White, incl 1x 180ml Paste Hardener	TN-KGW.4L
1L	Buff, incl 1x 45ml Paste Hardener	TN-KGBF



Tenax White Polyester Flowing Adhesive

- Coloured flowing consistency for Granite, Marble & Engineered Stone
- Cure time: approx. 25-30 mins, with good adhesion & very polishable
- For horizontally repairs only
- Glue to hardener ratio: 100:3

Size	Includes	Item Code
1L	1x 45ml Paste Hardener	TN-FLW1L





Tenax Travertine Filler Buff

- Easy-to-spread knife-grade consistency used for horizontal repair, gluing & filling travertine; can be polished
- Cure time: approx. 10-15 mins
- Glue to hardener ratio: 100:3

Size	Includes	Item Code
1L	1x 45ml Paste Hardener	TN-TVF1L



Watch Video



Tenax Thassos T Knife Grade

- Colorless, high viscosity polyester knife grade used to glue and repair Natural Stone and Quartz
- Easy to apply and color; the hardened product is smooth, shiny and polishable
- Indoor use only with good stability to sunlight
- Working time suitable for large surfaces
- Tacky free time: 1.5 to 2 hours; Working time: 2-3 hours (at 25°C)
- Glue to hardener ratio: 100: 2-3% in weight

Size	Includes	Item Code
Quart	1x 50ml Liquid Hardener	TN-THASSOS.T



Tenax Crystal Knife Grade

- Strongest water clear acrylic/polyester knife grade perfect for any application where seam/joint must be hidden
- Cure time: approx. 120 mins, cures shiny & very polishable
- Colours easily to vertically/horizontally repair, rebuild, bond & fill Natural Stone & Engineered Stone
- Glue to hardener ratio: 100:3

Size	Includes	Item Code
1L	1x 50ml Liquid Hardener	TN-CKG



Tenax Hardeners

- Clear liquid hardener for Thasso T Knife Grade & Crystal Knife Grade only
- Paste Hardener suitable for polyester and vinyl ester knife grade and flowing consistency adhesives
- Make sure to check the glue to hardener ratio per the requirements of each type of adhesive

Size	Description	Item Code
50ml	Clear Liquid Hardener	TN-SLHT50ML.SALE
118ml (4oz)	Paste Hardener	TN-BHT.SALE

Tenax Elixo Epoxy Knife Grade

- Extra clear bi-component epoxy knife grade glue approved for food contact
- Cure time: approx. 180-210 mins with excellent adhesion & very low shrinkage during the hardening process
- Dripless, easy to color & polish
- Indoor/outdoor: resistant to temperature, very low yellowing
- Glue to hardener ratio: 2:1

Size	Item Code
Part A (1.5kg) + B (0.75kg)	TN-ELIOX2.25



Watch Video



Tenax Glaxs BM 1:1 Epoxy

- Transparent bi-component epoxy knife grade, easy to colour & polish
- Tacky free time: approx. 25-30 mins; Full cure time: 60-90 mins
- Structural strength on non porous materials: Ceramic, Porcelain tiles/slabs & Glass
- Zero VOC, zero yellowing for invisible bonding, coupling & repairing of white/porous Natural Stone & Engineered Stone
- Glue to hardener ratio: 1:1

Size	Item Code
1kg Part A + 1kg Part B	TN-GLXBMKIT



Watch Video



Tenax Glaxs BB65 Super Flowing Resin System

- Transparent bi-component flowing with very thin viscosity, perfect for filling pits & holes
- Tacky free time: approx. 60 mins
- Zero yellowing for invisible laminating, bonding & filling of white Granite, Marble & Engineered Stone
- Zero VOC
- Glue to hardener ratio: 1:1

Size	Item Code
315g, Part A + B	TN-GLXS.BB65



Tenax Rivo Knife Grade

- Straw colour epoxy knife grade for Natural Stone, Engineered Stone & Ceramic/ Porcelain
- Indoor/outdoor (material must be dry before application)
- VOC Compliant, Glue to hardener ratio: 1:1
- Gel time: 15-20 mins; Tacky free time: 1.5-2 hours

Size	Type	Item Code
1L Part A + 1L Part B	Rivo Knife Grade	TN-RV15





Watch Video



Tenax Domo 10 Knife Grade

- Easy to colour & great for bonding mixed materials
- Gel time: 120-150 min; Tacky free time: 5 hours
- Bonds to wet, dry and polished surfaces
- Indoor/outdoor applications
- VOC Compliant, Glue to hardener ratio: 1:1

Size	Description	Item Code
1L Part A + 1L Part B	White Colour Knife Grade - Slow Cure	TN-DM10



Tenax StrongEdge 45 Knife Grade

- Strongest clear knife grade epoxy, colours easily & takes polish
- Express cure time at 45-60 mins, does not shrink, designed for fabrication & lamination
- Suitable for 45 degree miter & vertical applications without running or dripping
- VOC Compliant, Glue to hardener ratio: 2:1

Size	Item Code
1QT Part A	TN-SEG45.A
0.5QT Part B	TN-SEG45.B



Tenax StrongEdge ExpressFlowing

- Strongest clear flowing epoxy, colours easily & takes polish
- Express cure time of 40-60 mins, perfect for stone that will be on CNC or line machines
- Glue stone to metal, wood, and other substrates
- VOC Compliant, Glue to hardener ratio: 2:1

Size	Item Code
1QT Part A	TN-SEG1LA
0.5QT Part B	TN-SEG1LB



Tenax Micto Flowing Epoxy

- Medium viscosity water clear flowing, colours easily & great for rodding
- Gel time: 5 min; Tacky free time: 15 min
- Good for Marble, Granite, Limestone & Engineered Stone
- Indoor and if used outdoors, the adhesive should be in a non-visible location since glue will yellow from sunlight but does weaken the adhesive
- VOC Compliant, Glue to hardener ratio: 1:1

Size	Item Code
1L Part A + 1L Part B	TN-MCT



Tenax Fixtop Epoxy Knife Grade

- Gel time: 30-40 mins, Tacky free time: 3.5 hours, bonds hard but flexible
- Adhesion to Granite, Engineered Stone, Ceramic, Porcelain tile, Metal, Wood, Cement board/Concrete & Glass
- Does not dissolve or breakdown in water: great for shower applications
- VOC Compliant, Glue to hardener ratio: 1:1

Size	Item Code
2L Set: 1L Part A + 1L Part B	TN-FIXTOP2L
2-Gallon Set: 1-Gal Part A + 1-Gallon Part B	TN-FIXTOP2G
10-Gallon Set: 5-Gallon Part A + 5-Gallon Part B	TN-FIXTOP10G



Laticrete Latapoxy 310 Stone Adhesive

- High strength epoxy formulated for spot bonding of tile & stone installations on indoor/outdoor vertical surfaces
- Fast & durable permanent bond (will not deteriorate over time): 45 minutes to 1 hour set time
- Non staining: ideal for white/light coloured Marble, Limestone, Granite, Engineered Stone & Tiles
- Withstands shock and vibration
- Mixing ratio by volume: 1:1

Size	Item Code
10L Set: 5L Part A + 5L Part B	LT-LATAPOXY310.10LAB



Watch Video



Tenax Universal Colour Pastes

- Brilliant colours to mix & tint polyester, epoxy & acrylic glue
- Available in a 10-color kit or sold individually in 75ml & 300ml tubes

Description	Item Code
Set of 10 Universal Color Kit (2.5 oz / 75ml bottles)	TN-10C



Colour	75ml	300ml
Black	TN-CPB75ML	TN-CPB300ML
White	TN-CPW75ML	TN-CPW300ML
Buff	TN-CPBF75ML	TN-CPBF300ML
Brown	TN-CPBR75ML	TN-CPBR300ML
Grey	TN-CPGREY75ML	TN-CPGREY300ML
Yellow	TN-CPY75ML	SPECIAL ORDER
Green	TN-CPGREEN75ML	TN-CPGREEN75ML
Paglierino	TN-CPPA75ML	N/A



500ml Colour Paste for Adhesives

- Value size colour paste to tint polyester, epoxy & acrylic glue

Colour	Item Code
White	CP-WH.P
Tan/Beige	CP-BG
Brown	CP-BR
Black	CP-BL






Glaxs Fast 2:1 Cartridge Glues

- Bi-component cartridge glue cure fast, with excellent adhesion & no oily effect or shadow
- Tacky free time: 15-20 mins
- For Granite, Quartzite, Marble, Engineered Stone, Ceramic & Porcelain tiles/slabs
- Pre-colored, ready to use on a 2:1 ratio cartridge gun & includes 2x mixing tips per tube
- Zero yellowing to sunlight, Indoor/outdoor applications with a minimum reaction temperature of 1°C
- Suitable temperature range after cure: -25°C-60°C

Description	Item Code
Glaxs Fast 215ml Cartridge Glue - ALL COLOURS	TN-GLX.F210
Glaxs Fast Swatch Kit - 20 Top Colours	TN-GLX.F210.CK



Mastidek 2:1 Cartridge Glues - Colour Matched for Dekton

- Bi-component cartridge glue with excellent adhesion, completely invisible & will not create shadows around cracks/seams
- Tacky free time: 15 mins, cures in 45-60 mins, reactivity is slightly influenced by the temperature
- Zero VOC & zero yellowing to sunlight
- Pre-colored, ready to use on a 2:1 ratio cartridge gun & includes 2x mixing tips per tube
- Indoor/outdoor applications with a minimum reaction temperature of 1°C
- Suitable temperature range after cure: -25°C-60°C

Description	Item Code
Mastidek 215ml Cartridge Glue - ALL COLOURS	TN-MASTIDEK



Tenax Multi-Ratio Cartridge Gun

- Universal cartridge gun for 1:1, 2:1, 4:1, 10:1 ratio cartridges in 250ml/215ml sizes
- This cartridge gun has configurable plungers to make it adaptable ALL types of cartridge glues
- Add the cartridge adapter clip to when using 215ml cartridge tubes to secure it in place and to avoid spillage

Description	Item Code
Multi-Ratio Cartridge Gun for 250ml & 215ml Cartridges	TN-GLXG.MR



Watch Video



Tenax Mixing Tips / Nozzles

Description	Item Code
Mixing Tip for 250ml Multibond	TN-MT.T250
Mixing Tip for 250ml Titanium	TN-MT.T250.C
Mixing Tip for Glaxs 215ml Cartridge	TN-GLX.MT
Mixing Tip for Glaxs & Mastidek 215ml Cartridge	TN-GLX.MT.C

TN-MT.T250

TN-GLX.MT

TN-MT.T250.C

TN-GLX.MT.C



Akemi Colour Bond 10:1 Cartridge Glue

- For the fast, simple and reliable attainment of invisible joints for quartz and natural stone
- Color match / pre-colored gel-like 2-component epoxy acrylate adhesive
- High bonding power with approx working time of 5 - 7 min (at 20°C)
- Food safe (certified by an external German testing institute)
- Easily polishable, and for interior use only

Description	Item Code
Colour Bond P+ 6 min 250ml - ALL COLOURS	AK-



Indoor only



Watch Video



AKEMI®

CLASSIC COLOURS

white CC 1120 Art. No. 4 70 13	white CC 1130 Art. No. 4 70 14	white CC 1100 Art. No. 4 70 11	white CC 1140 Art. No. 4 70 15	cream CC 1620 Art. No. 4 70 63	cream CC 1640 Art. No. 4 70 65	cream CC 1600 Art. No. 4 70 61	cream CC 1650 Art. No. 4 70 66	beige CC 1725 Art. No. 4 70 76	beige CC 1705 Art. No. 4 70 74	beige CC 1735 Art. No. 4 70 77	beige CC 1700 Art. No. 4 70 71	beige CC 1715 Art. No. 4 70 75	beige CC 1750 Art. No. 4 70 78	beige CC 1760 Art. No. 4 70 79	beige CC 1770 Art. No. 4 70 80
cream CC 1660 Art. No. 4 70 67	cream CC 1670 Art. No. 4 70 68	gray CC 1815 Art. No. 4 70 83	gray CC 1840 Art. No. 4 70 85	gray CC 1830 Art. No. 4 70 84	gray CC 1805 Art. No. 4 70 82	gray CC 1800 Art. No. 4 70 81	gray CC 1850 Art. No. 4 70 86	khaki CC 1960 Art. No. 4 70 97	khaki CC 1950 Art. No. 4 70 96	khaki CC 1920 Art. No. 4 70 93	khaki CC 1900 Art. No. 4 70 91	khaki CC 1940 Art. No. 4 70 95	brown CC 2010 Art. No. 4 71 02	brown CC 2040 Art. No. 4 71 05	brown CC 2030 Art. No. 4 71 04
gray CC 1860 Art. No. 4 70 87	gray CC 1880 Art. No. 4 70 89	black CC 1020 Art. No. 4 70 03	black CC 1010 Art. No. 4 70 02	black CC 1000 Art. No. 4 70 01	black CC 1030 Art. No. 4 70 04	black CC 1040 Art. No. 4 70 05	beige CC 1720 Art. No. 4 70 73	brown CC 2050 Art. No. 4 71 06	brown CC 2080 Art. No. 4 71 01	brown CC 2060 Art. No. 4 71 07	blue CC 1510 Art. No. 4 70 52	red CC 1230 Art. No. 4 70 24	red CC 1220 Art. No. 4 71 23		
beige CC 1725 Art. No. 4 70 76	beige CC 1705 Art. No. 4 70 74	beige CC 1735 Art. No. 4 70 77	beige CC 1700 Art. No. 4 70 71	beige CC 1715 Art. No. 4 70 75	beige CC 1750 Art. No. 4 70 78	beige CC 1760 Art. No. 4 70 79	beige CC 1770 Art. No. 4 70 80	transparent magic CC 2000 Art. No. 4 60 91	white magic CC 1150 Art. No. 4 61 11	white magic CC 1160 Art. No. 4 61 12	creme magic CC 1680 Art. No. 4 61 21	beige magic CC 1780 Art. No. 4 61 31	gray magic CC 1890 Art. No. 4 61 41		

MAGIC COLOURS



Color Chart
Scan Here





STONE CARE



Tenax Quartz Toner Plus

- Colour enhancing sealer for bringing out a deep rich colour in Engineered Stone/Quartz
- Excellent water-oil repellent properties
- Works well to disguise small scratches
- Low VOC emissions, less fumes, odorless & approved for food contact
- Indoor/outdoor applications

Size	Item Code
250ml	TN-QTPL.250
1L	TN-QTPL.1L



Tenax Ager & Ager Tiger

- Natural stone colour enhancer & sealer
- Used to create a 'wet' effect & works well to disguise small scratches
- Perfect for matching edges of stone with stone surface
- Indoor/outdoor applications, non-yellowing/UV stable

Size/Type	Item Code
250ml Ager	TN-AG.025
1L Ager	TN-AG1Q
5L Ager	TN-AG5L
1L Ager Tiger	TN-AGT



Tenax Ager Remover

- Removes extra Ager or Ager Tiger caused by over-application or not wiping off excess before drying

Size	Item Code
1L	TN-AGR

Tenax Quartz Shield Sealer

- For protecting Engineered Stone / Quartz surfaces from stains & oil absorption
- Non-colour, water-based sealer
- Approved for food contact

Size	Item Code
1L	TN-QS.1L



Tenax Proseal

- Solvent based natural stone sealer with excellent water-oil repellent properties
- Allows the stone to breathe without leaving a film on the surface
- Will not change colour of stone, good for polished, honed, brushed & matte finishes
- Indoor/outdoor application, UV stable

Size	Item Code
250ml	TN-PROSEAL.250ML
1L	TN-PROSEAL
5L	TN-PROSEAL.5L
200L	TN-PROSEAL.200L



Tenax Proseal Nano

- Solvent based impregnating sealer formulated specifically for Quartzite
- Works on Marble, Granite, Concrete, Terracotta, Onyx, Slate & Sandstone without color change
- Penetrates into the material's micro-pores to protect against oil/water stains
- Indoor/outdoor applications

Size	Item Code
250ml	TN-PROSEAL.NANO.250ML
1L	TN-PROSEAL.NANO.1L



Tenax Hydrex

- Solvent based sealer with excellent water-oil repellent properties
- Will not change colour of stone
- Polished Granite & Marble
- Indoor/outdoor applications, UV stable

Size	Item Code
1L	TN-HYDREX





Tenax Uniblack

- Solvent based treatment & maintenance for black Granite
- Indoor/outdoor application
- Uniblack 1: Quick drying black dye for black Granite
- Uniblack 2: Black liquid wax for black Granite

Size	Item Code
1L Uniblack 1	TN-UB1
1L Uniblack 2	TN-UB2



Tenax Tepox Q Colour Dye

- Chemical colour dye used to enhance or alter the looks of slabs to a desired colour
- Designed to be used alongside Tenax Ager or Ager Tiger
- Indoor/outdoor application

Size	Colour	Item Code
250ml	Black	TN-TPXBLACK.250ml
1L	Black	TN-TPXBLACK
250ml	Brown	TN-TPXBROWN.250ml
1L	Brown	TN-TPXBROWN
1L	Grigio Grey	TN-TPXGRAY
1L	Bianco/White	TN-TPXBIANCO.1L



Tenax Tefill Chip Repair Kit

- Water clear dual viscosity stone repair kit that cure fast & leaves a polished finish on stone
- Tefill 1 for fissures, scratches or chips on horizontal surfaces
- Tefill 2 to repair larger chips on both horizontal and vertical surfaces
- Tefill 3 Activator to create chemical reaction for Tefill 1 & 2 applications

Description	Item Code
Tefill Repair Kit - 3pc/set	TN-TFKIT
Tefill 3 Activator - 12oz	TN-TF3



Watch Video



Starter Kit

Master Kit



FillaChip Chip Repair Kit & Colours

- Chip repair system that delivers speedy & incredible results
- Cures with the use of UV flashlight, great for jobsite touch-ups
- FillaChip Starter Kit equips you with everything necessary to fix chips, scratches, nicks, cracks, holes, and gouges on stone
- FillaChip Refill Kit is also available when the contents of the starter kit runs out
- FillaChip Master Kit includes 19 colours that are mixable to colour match all type of stone/tile
- Individual coloured glue available and sold separately

Description	Item Code
Starter Kit	RPKIT-FILA.STK
Refill Kit	RPKIT-FILA.RFK
Master Kit	RPKIT-FILA.MASTER
Translucent White	RPKIT-FILA.TW
Super White	RPKIT-FILA.SW
Off White	RPKIT-FILA.OFFWT
Translucent Black	RPKIT-FILA.TB
Super Black	RPKIT-FILA.BLA

Description	Item Code
Concrete Grey	RPKIT-FILA.CG
Light Grey	RPKIT-FILA.LG
Grey Vein	RPKIT-FILA.GV
Translucent Creme	RPKIT-FILA.TC
Medium Brown	RPKIT-FILA.MB
Small UV Flashlight	RPKIT-FILA.FL
Large UV Flashlight	RPKIT-FILA.LFL

Alpha Rust Stain Remover

- Removes common rust stains from Natural stone surfaces, Concrete, Brick, Terra cotta, Mexican tile & other hard porous surfaces
- Easy-to-use gel form formulated to react & work fast
- Non-hazardous chemical, safe to use & will not harm environment
- Indoor/outdoor applications: use on floors, countertops & vertical surfaces

Size	Item Code
40g bottle	AL-RSTR.40G
400g tube	AL-RSTR.400G



Tenax Bravo Quartz Stain Fighter

- Ready to use water based stain remover that removes & cleans difficult stains from Quartz
- Do not dilute, pH: 9.5 alkaline
- Indoor/outdoor applications

Size	Item Code
750ml	TN-QSF

STAINS	CONTACT TIMES
Fruit stains and colored stains, algae and organic dirt	30 minutes
Cosmetic residues, lipstick, shoe polish, coffee, red wine, blood, soap	10 - 30 minutes
Wax residues and wax candle residues	30 minutes
Fresh paint and polymer emulsions	30 minutes
scuff marks from shoes	30 minutes
Fingerprints	3 minutes
Markers	20-30 minutes



Tenax Quartz Extraclean Pro

- Solvent based cleaner
- Designed to remove suction cup & stone vacuum rings & marks from Quartz slabs to prevent discolouration
- Penetrates the pores of the material to remove grease
- Professional use only

Size	Item Code
250ml	TN-QEC.250ML
1L	TN-QEC.1L



Tenax TeBlossom Green Stain Remover

- 2-part chemical poultice used to remove green stains caused by chip repair kits
- Does not etch stone
- Chemically removes the stain, application similar to poultice

Description	Item Code
TeBlossom Green Stain Remover	TN-GSREMV





Tenax TeEtch Etch Remover

- Polishing compound designed to remove etch marks, water marks, water rings, dull spots & light scratches
- Suitable for use on Marble, Travertine, Limestone, Alabaster & Onyx
- Not for use on granite

Size	Item Code
8 oz	TN-ECHR



Mangia Macchia Stain Remover

- Special poultice formulated to remove stains, such as oil, industrial grease, coffee, food, ketchup & other organic stains on Natural stone
- Restores the stone surface back to its original beauty
- The paste will not damage the stone's polish/shine

Size	Item Code
16oz	BEZ-STR.16OZ
Gallon	BEZ-STR.1G



StoneTech Bulletproof Sealer

- Water-based sealer that offers maximum protection against most stains
- Preserves natural look of ALL Natural stone, Masonry surfaces & Grout
- Works on both polished and honed surfaces
- Indoor/outdoor applications

Size	Item Code
Pint	ST-BP.P
Quart	ST-BP.Q
Gallon	ST-BP.G
5 Gallon	ST-BP.5G



StoneTech Revitalizer Cleaner & Protector

- 2-in-1 cleaner & sealer - cleans everyday messes while saving time for resealing
- Built-in sealer reinforces stain protection
- Gentle water-based formula
- Leaves a pleasant fragrance in Cucumber scent
- For all Natural stone & Grout

Size	Item Code
24 oz Spray / Cucumber	ST-RVCUC.S
Gallon / Cucumber	ST-RVCUC.G

StoneTech Quartz & Tile Cleaner

- No rinse, water-based daily cleaner with clean scent & suitable for food areas
- Gently cleans Quartz, Tile & other Engineered Stone
- For Cambria®, Silestone®, Zodiaq® and Caesarstone® brand surfaces

Size	Item Code
24 oz Spray	ST-QC.SP



StoneTech Klenzall Heavy Duty Alkaline Cleaner

- Water-based alkaline cleaner removes tough dirt, grease & grime
- Cleans, degreases & prepares surface for resealing
- Safe on stone, will not etch
- For Marble, Granite, Quartzite, Limestone, Travertine, Slate, Sandstone, Flagstone, Masonry, Concrete, Porcelain & Ceramic tile & Grout

Size/Type	Item Code
24 oz Spray / Ready to Use	ST-KZ.S
Quart / Concentrate	ST-KZ.Q
Gallon / Concentrate	ST-KZ.G



StoneTech Restore Acidic Cleaner

- Heavy duty, water-based acidic cleaner for tile & acid resistant stone, masonry & grout
- Renew the look of the surface by removing dirt, hard water deposits, efflorescence & rust
- Good for Ceramic/Porcelain tile, Granite, Slate & Sandstone
- DO NOT use on colored Concrete, dyed Granite, or acid-sensitive stones such as Marble, Limestone & Travertine
- Zero VOC, indoor/outdoor applications

Size	Item Code
Quart	ST-RS.Q



StoneTech Enhancer Pro Sealer

- Solvent based colour enhancing sealer for maximum stain protection on Natural Stone, Masonry & Grout (no gloss)
- For Bluestone, Slate, Travertine, Limestone, Granite, Marble, Sandstone, Flagstone, tumbled/textured stone & flamed stone
- Weather/UV resistant, indoor/outdoor applications

Size	Item Code
Pint	ST-EHP.P
Quart	ST-EHP.Q





StoneTech High-Gloss Sealer

- Leaves a brilliant shine and deepens color
- Protects against water and oil based stains
- Water-based formula - better for you and the environment
- For interior use on textured stone, porous tile, masonry; not for polished or glazed honed surfaces

Size	Item Code
Quart	ST-HG.Q



StoneTech Stone Polish

- Restores the luster of polished stone
- Leaves non-greasy, streak-free brilliant shine
- Quick and easy touch up

Size	Item Code
24 oz Spray	ST-P.S



StoneTech Oil Stain Remover

- Removing deep-set oil-based stains & grease stains
- Ready-to-use, just stir & apply
- Leaves no permanent residue
- For Marble, Granite, Quartzite, Limestone, Travertine, Slate, Sandstone, Concrete & Grout

Size	Item Code
3oz	ST-OSTR
Pint	ST-OSTR.P



StoneTech Warranty Kit - Natural Stone

- Includes: 1x Quart size Bulletproof Sealer & 1x 24oz Revitalizer spray bottle
- For all Granite, Marble & Basalt countertops
- 25-year fully transferable residential warranty; 15-year commercial and industrial warranty; 1-year outdoor warranty on select Granite
- Only available for purchase by CERTIFIED INSTALLERS WITH STONETECH WARRANTY TRAINING

Description	Item Code
Natural Stone Warranty Care Kit	ST-WK

MACHINES & POWER TOOLS

Makita

Makita Circular Saws

- Wide blade case enables use of curved diamond blades
- Leading edge of baseplate indicates precise line of cut
- Dust-proof switch and labyrinth construction prevents motor contamination
- 4100NH2ZX1: bevel capacity of 45-degree with max. cutting depth: 7/8" (2cm)

Model #	Specifications	Miter Capability	Item Code
4100NH2ZX1	5" Circular Saw (12,200 RPM, 20mm arbor, 10A)	Yes	MK-4100NH2
4100NH3ZX1	4-3/8" Circular Saw (13,000 RPM, 20mm arbor, 9.5A)	No	MK-4100NH3



FLEX
Das Original

Flex CS40 - 5" Wet Saw

- Powerful handheld saw for wet or dry cutting of stone, tile, and glass
- Ideal for renovating bathrooms, cutting porcelain/stone, tiling backsplash or floor
- Equipped with high-quality water-feed system to eliminate harmful dust particles
- Safety feature included in the built-in GFCI
- Fully-integrated durable stainless steel rail system in saw frame to ensure precise cuts

Model #	Specifications	Miter Capability	Item Code
CS40	5" Wet Saw (20mm arbor, 12,000 RPM, 110V, 12A)	Yes	FL-CS40



ALPHA

Alpha ESC-125 - 5" Wet & Dry Saw

- Powerful motor for Stone, Concrete & Sintered Porcelain slabs
- Max. depth for straight cuts: 1-1/4" (3cm) thick materials
- Water-feed supply eliminates harmful dust particles & includes a dust cover for HEPA vacuum connection
- Great for use with curve-cutting blades
- Compatible with Alpha Guide rails with the add-on of 5" carriage assembly (ASC-5CSM)

Model #	Specifications	Miter Capability	Item Code
ESC-125	5" Saw (7/8" arbor, 12,000 RPM; 110V, 15A)	No	AL-ESC125
ASC-5CSM	5" Guide Rail Carriage Assembly (use with ESC-125)	n/a	AL-5CSM

Watch Video



ALPHA



Watch Video



Alpha ESC-150 - 6" Wet & Dry Saw

- Powerful motor for use on Stone, Concrete & Sintered Porcelain slabs
- Max. depth for straight cuts: 2" (5cm); Miter cuts: 1-1/4" (3cm)
- Comes with a built-in dust gate for dustless cutting when connected to a HEPA vacuum
- Compatible with the Alpha Guide rails with the add-on of 6" carriage assembly (ASC-6CSM)

Model #	Specifications	Miter Capability	Item Code
ESC-150	6" Saw (7/8" arbor, 10,000 RPM; 110V, 11.2A)	Yes	AL-ESC150
ASC-6CSM	6" Guide Rail Carriage Assembly (use with ESC-150/PSC-150)	n/a	AL-6CSM

ALPHA

4', 7', 12' Guide Rails



Alpha Guide Rail System

- Guide rails made of sturdy cast aluminum
- Must be used with the correct type of carriage assembly
- Must-have accessory for wet/dry stone cutters & beveling auxiliary base
- Complete system makes precision cutting fast & easy
- Perfect for miter cutting for laminated waterfall edge

Specifications	Item Code
4ft Aluminum Guide Rail (incl. 2x F-Clamps)	AL-GR4
7ft Aluminum Guide Rail (incl. 2x F-Clamps)	AL-GR7
12ft Aluminum Guide Rail (incl. 2x 6ft rails, 2x F-Clamps, Connector + 4 screws)	AL-GR12



RUBI



Watch Video



Rubi TC-125 G2 - 5" Wet & Dry Circular Saw & Guide Rail Kit

- Perfect for cutting all Ceramic tiles, large Porcelain/Sintered slabs & Natural stone
- Equipped with vacuum port and water feed system
- Saw MUST BE USED with the Rubi SLIM SYSTEM G2 guides to achieve precise & smooth cuts
- Cutting head is able to adjust for 45-degree miter cuts
- Max. Cutting Length: 320cm; Cutting Height: 20-25mm; Miter Cut thickness: 14-18mm
- Guide Rail Kit includes: (2) 155 cm Guide Rails, (1) 65cm Guide Rail, (2) suction cups, (2) clamps for additional fixing of slim guides, and carrying bag

Description	Miter Capability	Item Code
TC-125 G2 - 4.5"-5" Wet/Dry Circular Saw (7/8" arbor, 13,800 RPM, 110V, 16A)	Yes	RB-51977
TC-125 G2 Guide Rail Kit	n/a	RB-51949

OMEGA
ROTAMOTO INC.



Watch Video



Blue Ripper G2 Rail Saw & Accessories

- Up to 6 ft per minute cut speed, single pass through 2cm granite
- Straight cuts up to 6cm (2.375") thick material
- Uses the same rails as all other Blue Ripper models
- Accepts 6" - 10" blades, standard 7/8" arbor with oversized flanges
- Attach with Miter Base for miter cuts up to 3cm thick material
- Easy to use, only 32 lbs with motor & blade, powered by nearly any grinder
- Covered by a one-year limited warranty

Description	Item Code
Blue Ripper G2 Rail Saw without motor	BR-G2
Makita GA7040S - 7" Angle Grinder [MOTOR, 8500 RPM]	MK-GA7040S
Blue Ripper Guide Rail - 5ft (60" / 1.5m)	BR-GUIDE5
Blue Ripper Guide Rail - 7ft 8" (92" / 2.3m)	BR-GUIDE7
Blue Ripper Guide Rail - 10ft (120" / 3m)	BR-GUIDE10
Blue Ripper Guide Rail - 12ft 4" (148" / 3.7m)	BR-GUIDE12
Blue Ripper Miter Base: Accessory for G2 Rail Saw	BR-MB

Blue Ripper Sr. Rail Saw

- Cost effective alternative to high-end bridge saws
- Provides impressive speed, accuracy and quality work at a fraction of the cost
- Designed to easily cut through 5cm thick stone while completing 10 ft in less than 60 seconds
- Blade size: 14" with 20mm segments; 50/60mm arbor
- Available in 2 types: 3HP Air-Cooled motor or 5HP Water-Cooled motor
- Rails not included, sold separately

Description	Item Code
Blue Ripper Sr Rail Saw - 3HP Air Cooled (1750 RPM, 220-240 V, 71 LB)	BR-SS.3HP
Blue Ripper Sr Rail saw - 5HP Water Cooled (3450 RPM, 220-240 V, 73 LB)	BR-SS.5HP

Watch Video



OMEGA
DESIGN LTD.



Makita GA7040S - 7" Angle Grinder with Trigger Switch

- Labyrinth construction features a complex series of channels to prevent penetration of dust and debris into the field and armature for maximum operational life
- Motor winding protection features "Zig-Zag" varnish on the armature and hardened powder on the field coils to act as an impenetrable barrier to dust and debris
- Soft start feature gradually increases speed to eliminate start up shock

Model #	Specifications	Item Code
GA7040S	7" Angle Grinder (8500 RPM, 15.0 A)	MK-GA7040S

Makita



Makita GA5010 - 5" Angle Grinder

- Features series of channels to prevent penetration of dust & debris into field and armature for maximum operational life
- "Zig-zag" varnish on the armature & hardened powder on field coils to act as impenetrable barrier to dust & debris
- Rotatable gear housing can be positioned at 90-degree for optimal positioning
- Ergonomic soft rubber grip for vibration absorption & comfortable operation

Model #	Specifications	Item Code
GA5010	5" Angle Grinder (11,000 RPM, 10.5 A)	MK-5010

Makita



Metabo G13SC2 - 5" Angle Grinder

- 11 Amp motor suitable for grinding/cutting Stone, Concrete, Brick & Tile
- 6.2 lbs, compact & lightweight design facilitates maneuverability
- Dust-resistant construction prolongs armature, switch & bearing life
- Trigger lock-on for comfortable continuous operation

Model #	Specifications	Item Code
G13SC2	5" Angle Grinder (10,600 RPM, 11A)	MT-G13SC2

metabo



Milwaukee 6130-33 4.5" Angle Grinder

- Compact and lightweight design with sliding lock-on switch
- Tool free burst resistant guard
- Built-in advanced airflow system, including debris baffles and multi-port exhaust, extends tool life

Model #	Specifications	Item Code
6130-33	4.5" Angle Grinder (12,000 RPM, 7.0A)	MWK-6130.33

Milwaukee



FLEX
Das Original



FLEX LW 1509 - 4.5" Wet Grinder

- Compact, high-speed wet grinder designed for maximum stock removal of Concrete & Natural stone
- Quick connect brass water couplings
- Central & external water feeds provide ultimate flexibility
- GFCI protection integrated into power cord

Model #	Specifications	Item Code
LW1509	4.5" Wet Grinder (8300 RPM, 7.8A)	FL-1509

Makita



Makita GA5090 - 5" Variable Speed Angle Grinder

- Powerful variable speed angle grinder enables user to match speed to application
- Zig-zag epoxy is applied to the armature for protection from debris & extend tool life
- SJS™ II technology is a leaf spring & cam gear drive mechanism engineered to reduce vibration
- Slide switch with lock-on for continuous use

Model #	Specifications	Item Code
GA5090	5" Var. Speed Angle Grinder (15A, 120V, 2800-11,500 RPM)	MK-GA5090VR

DEWALT



Dewalt DWE43240VS - 6" Variable Speed Angle Grinder

- Brushless motor requires no brush changes
- Variable speed offers the ability to change speed for applications as needed
- Electronic Kickback Brake engages when a bind-up event is sensed: engages with maximum force to quickly stop the wheel & shut the motor off
- The ON/OFF trigger switch has a no-volt release function: in the event of a power outage, the trigger switch will need to be turned off/on to restart tool

Model #	Specifications	Item Code
DWE43240VS	5"/6" Brushless Angle Grinder (13A, 120V Corded, 2000-9000 RPM)	DEWLT-DWE43240VS

Makita



Makita DGA511Z - 5" Cordless Angle Grinder (Tool Only)

- Variable speed for various applications
- Thumb switch with lock-on & brushless motor generates less heat buildup
- LXT Technology, uses 18V Li-Ion Battery (battery & charger sold separately)
- Automatic torque Drive Technology (ADT) adjusts the torque & speed according to the load condition
- eXtreme Protection Technology (XPT) offers maximum protection against dust, debris & liquids for optimal performance
- Active Feedback sensing Technology (AFT) automatically shuts down the tool if there is kick-back

Model #	Specifications	Item Code
DGA511Z	5" Cordless Grinder (7/8" arbor, 5/8"-11 spindle, 3000-8500 RPM)	MK-DGA511Z

LXT XPT AFT BRUSHLESS ADT

Makita DMC300Z - 18V LXT Brushless 3" Compact Cut-Off Tool (Tool Only)

- Compact design ensures accessibility and maneuverability in tight spaces
- Brushless motor & exceptional power-to-weight ratio, reduces heat buildup during prolonged use
- Max. Cutting Capacity: 5/8"

Model #	Specifications	Item Code
DMC300Z	3" Cut-Off Tool (uses 18V Li-Ion Battery; 20,000 RPM, 3/8" arbor)	MK-DMC300Z



LXT XPT AFT BRUSHLESS

Makita

Makita DCC500ZX1 - 5" Cordless Masonry Saw (Tool Only)

- Designed for dry/wet straight & miter cutting applications
- Bevel capacity up to 45° miter cuts with max. cutting depth: 1-1/16" (2.7cm)
- Brushless motor generates less heat buildup
- Automatic torque Drive Technology (ADT) adjusts the torque and speed according to the load condition
- Battery & charger sold separately

Model #	Specifications	Miter Capability	Item Code
DCC500ZX1	5" Masonry Saw (uses 18V Li-Ion battery; 8800 RPM; 20mm arbor)	Yes	MK-DCC500ZX1



LXT XPT BRUSHLESS AWS ADT

Makita

Makita Y-00359 - 18V (5.0 Ah) Li-Ion Battery & Dual-Port Charger Kit

- Charges 2 x 18V (5.0 Ah) Li-Ion batteries in 45 minutes!

Description	Item Code
2x 18V (5.0 Ah) Li-Ion Battery & Dual-Port Charger Kit	MK-Y00359



Makita

Flex LW1503 - 5" Wet Polisher

- Compact electric wet polisher for stone fabrication & concrete polishing
- Quick-fit brass water coupling with water disbursement nozzle
- GFCI integrated power cord

Model #	Specifications	Item Code
LW1503	5" Wet Polisher (4400 RPM, 7.4A)	FL-1503



FLEX
Das Original



FLEX
Das Original



Flex L 12-3 100 - 5" Wet Polisher

- Powerful high torque single-speed wet polisher for stone fabrication & concrete polishing
- Dust protected switch increases functional reliability & longevity
- Quick-fit brass water coupling for 1/2" water hose
- GFCI integrated power cord

Model #	Specifications	Item Code
L12-3 100	5" Wet Polisher (3700 RPM, 9.3A)	FL-L123

FLEX
Das Original



Flex LE12-3 100 - 5" Wet Polisher

- Powerful high torque variable speed wet polisher
- Dust protected switch increases functional reliability & longevity
- Quick-fit brass water coupling for 1/2" water hose
- GFCI integrated power cord

Model #	Specifications	Item Code
LE12-3 100	5" Wet Polisher (1200-3700 RPM, 9.3A)	FL-LE123

Makita



Makita PW5001C - 4" Wet Variable Speed Polisher

- Designed for professional stone wet polishing
- Variable speed dial adjusts polishing speed based on materials or application
- Overload protection prevents motor burnout due to current overload
- Equipped with a ground fault circuit interrupter (GFCI) plug for operator safety

Model #	Specifications	Item Code
PW5001C	4" Wet Polisher (7.9 A, 2000 - 4000 RPM)	MK-PW5001C

Makita



Makita 9237C - 7" Variable Speed Polisher

- Variable speed dial & trigger switch enables operator to adjust speed based on exact polishing application
- Protective rubber head cover prevents damage to materials caused by impact or abrasion during operation
- Dust cover screens prevent ingress of dust, dirt & debris

Model #	Specifications	Item Code
9237CZ	7" Polisher (10 A, 600-3200 RPM)	MK-9237C

Alpha AIR-830/850 Pneumatic Polishers

- Pneumatic polishers with newly developed motor produces more power
- Central water-feed system delivers ample water regardless of position
- 15ft all-weather hoses with flexibility down to -40°C or 60°C
- Lightweight and ergonomically designed for better maneuverability
- New splash guard allows for better visibility without being splashed

Model #	Specifications	Item Code
AIR-830	4000 RPM, 85 PSI, 15 CFM (Yellow)	AL-AIR830
AIR-850	5500 RPM, 85 PSI, 15 CFM (Blue)	AL-AIR850

Watch Video



Accessories for Alpha Pneumatic Polishers

Part#	Specifications	Item Code
AIR-008	Lubrication Oil for Pneumatic Tools 8 oz (237mL)	AL-OIL
1030.0002	15ft Air Hose for AIR-830/850 series	AL-1030.0003
1030.0003	15ft Water Hose for AIR-830/850 series	AL-1030.0002
1030.0014	30ft Air Hose for AIR 830/850 series	AL-1030.0014
1030.0015	30ft Water Hose for AIR-830/850 series	AL-1030.0015
658-95	Exhaust Hose Sleeve	AL-658.95
658-112	Splash Guard for AIR-830/850 series	AL-658.112



Alpha PSP-158 Industrial Pneumatic Polisher

- Industrial pneumatic polisher with powerful new motor for demanding applications
- Comes with 30ft kink-free twin air/water hose for better maneuverability.
- All-weather hoses with flexibility down to -40°C or up to 60°C
- Central water-feed system delivers ample water regardless of position
- Silicon gear head cover provides cushion & keeps hands warm

Model #	Specifications	Item Code
PSP-158	5500 RPM, 90 PSI, 21 CFM	AL-PSP158

Watch Video



Apollo AP10 Blue Air Polisher

- Lightweight & compact pneumatic polisher
- Heat treated parts provide anti-grinding protection
- Rear exhaust design will prevent the operator from exhaust fumes
- Carefully designed to control water & air flow

Specifications	Item Code
4500 RPM, 90 PSI, 15 CFM (Blue)	AP10



Alpha PSG125 - 5" Pneumatic Grinder

- Powerful 1.4 HP motor with speed control governor
- Compact ergonomic aluminum body & reversible safety lever throttle
- Kink-free air hose for easy maneuverability
- Built-in oil port for easy maintenance
- 2,000 hour duty cycle

Model #	Specifications	Item Code
PSG-125	12,000 RPM, 90 PSI, 33 CFM	AL-PSG125



ALPHA



Alpha PSC-150 - 6" Pneumatic Saw

- 2 HP pneumatic powered motor with speed control governor
- Capable of miter cutting 1-1/4" (3cm) material with ease
- Kink-free water and air hoses for easy maneuverability
- Great for sink-hole cutting, groove cutting & rodding applications
- 2,000 hour duty cycle

Model#	Description	Item Code
PSC150	8500 RPM, 90 PSI, 48 CFM, 2HP	AL-PSC150

paralign
GORILLA GRIP



Gorilla Grip 2.1 Camless Seam Setter

- One of the most powerful seam setters in the industry
- Seams can be quickly closed or opened by simply moving roller nut
- Electric motor provides continuous suction without having to worry about batteries or hand pumping
- Four leveling knobs per set allow for precise leveling, even on bowed slabs
- Waterfall Attachment Clamp for producing 90° waterfalls, will easily clip onto the Gorilla Grip Setter to provide a solid clamping ledge for pulling waterfall miters tight

Description	Item Code
Gorilla Grip 2.1 Electric Camless Setter	SS-GG2

paralign
GORILLA GRIP



Accessories for Gorilla Grip Seam Setters

Description	Item Code
Waterfall Attachment for Gorilla Grip Seam Setters	SS-GGATT
Gorilla Grip Bottom Rebuild Kit - Gaskets, Filters, Friction Rubber Set	SS-GASKET.S
Gorilla Grip Seam Setter - Jumper Hose (4pc/set)	SS-JH
Gorilla Grip 2.1 Seam Setter - Replacement Lever Kit (PAIR)	SS-LEVERKIT
Gorilla Grip Seam Setter - S-Type Levelling Cams (4pc/set)	SS-GG.L
24" Tool Box (replacement carry case for Gorilla Grip Seam Setter)	DW-DWST24082

paralign
GORILLA GRIP



Paralign Electric Seam Setter for Solid Surface

- Developed to quickly clamp & align solid surface materials in near perfect alignment
- Connecting two powerful venturi vacuum pods with precision linear bearings
- The bottom of the pods are machined perfectly flat, and will pull down onto the two surfaces with about 275 pounds per pod
- A twist of the spring loaded cam pulls the seam together to complete the job
- Portable with a built in vacuum pump contained in a sturdy case
- Each kit includes 4 seam clamps in a protective case

Description	Item Code
Paralign Electric Setter	SS-PSS



Imer Combicut 250 VA 10" Tile Saw

- Lightweight, user-friendly tile saw with a powerful motor
- Equipped with a laser guide to offers accurate, chip-free cutting performance
- Complete with high flow water pump and water valve to control water mist
- High impact removable poly water pan with baffle (water pan capacity: 10 gal)
- Max. Cutting Depth: 3-3/4"

Max. Cutting Length	Description	Item Code
28"(31"w/plunge cut)	Imer Combicut 250 VA 10" Tile Saw (Arbor: 5/8", 2800 RPM, 1.75hp, 110V, 15A)	IMER-CB250



Imer Combicut 250VA Lite 10" Tile Saw

- Saws designed to deliver superior accuracy for cutting larger tile & stone
- Features smooth, accurate plunge cuts & 45 degree cuts
- Equipped with a laser guide to offers accurate, chip-free cutting performance
- Long handle for easy reach and smooth pull through
- Complete with high flow water pump and precision water valve
- High impact removable poly water pan

Max. Cutting Length	Description	Item Code
37"(40"w/plunge cut)	Imer Combicut 250/1000 VA Lite 10" Tile Saw (Arbor: 5/8", 2800 RPM, 1.75 hp, 110V, 15A)	IMER-CB250/1000
57"(60"w/plunge cut)	Imer Combicut 250/1500 VA Lite 10" Tile Saw (Arbor: 5/8", 2800 RPM, 1.75 hp, 110V, 15A)	IMER-CB250/1500



Imer Combicut 350 iPower 14" Tile, Stone and Masonry Saw

- Features a stainless steel cutting surface to handle precise and lengthy cuts
- High torque motor: all this power goes from the motor to the blade via a high tech serpentine belt
- Travel bar is contoured to the nylon roller bearing system for precise movement
- Complete with high flow water pump & 9-gallon capacity water pan that slides out for easy cleanup
- Spring loaded to assist with fast set up & flip up for transport

Max. Cutting Length	Description	Item Code
41-1/2" (47-1/4"w/plunge cut)	Imer Combicut 350 iPower - 14" Masonry Saw (Arbor: 1", 2800 RPM, 4hp, 220V, 15A)	IMER-CB350



Imer 350 Smart Cut 14" Masonry Saw

- The best solution for cutting bricks, blocks, paving stones & tiles
- Cutting table dimensions: 20" x 16" & Water pan capacity: 10 gallon
- Max. Cutting Depth: 4-3/4"
- Blade guard is lined with sound absorbing material to reduce noise from the blade
- Spring loaded to assist with fast set up, flip up and out of the way for transport

Max. Cutting Length	Description	Item Code
26"(30"w/plunge cut)	Imer 350 Smart Cut 14" Brick Block & Paver Masonry Saw (Arbor: 1", 2850 RPM, 2hp, 115V, 15A)	IMER-M350



MATERIAL HANDLING



ABACO MACHINES USA
MATERIAL HANDLING SOLUTIONS

As an Abaco Machines distributor, we have a large selection of material handling equipment for fabrication and installation. Please call us to learn more about the pricing, availability, and to place a special order on out-of-stock and specialty equipment.

Little Giant Lifters



Sky Rider Lifters



Forklift Booms



Swivel Shackle



Scissor Clamps



Bow Shackle



One-Stop A-Frames M3



Heavy Duty Truck A-Frames



Slab Wedge



Working Tables




Demountable A-Frames



Remnant Slab Racks




Stone Vacuum Lifters



Dehydrator (Sludge Filter)



Slab Racks



Collapsible Dumpsters



4-Wheel Slab Dolly



11" Slab Dolly



Tug Dollies



Easy Moving Dolly

Self-Locking Trolley



Double Sided Slab Buggy




Drywall Cart



Carry Clamps



90-Degree Clamp M3



Sink Locks

Double Sink Lock



Single Sink Lock

90-Degree Pro Seam Setter






HT-SS



HT-SS.LG



Apollo Manual Seam Setters

- Used for pulling joints and seams together
- Suction cups securely grip onto Granite, Marble, Engineered stone & Porcelain tiles/slabs
- Adjustment handle on the top of the seam setter is easy to use for adjusting/aligning seams
- Levelers on each side to adjust height to align work pieces for flush surface
- Carrying case included with purchase

Description	Item Code
Light Duty Seam Setter (with 4" Lever Handle Suction Cups)	HT-SS
Heavy Duty Seam Setter (with 8" Pump Vacuum Grey Rubber Suction Cups)	HT-SS.LG

Apollo Heavy Duty 90-degree Waterfall Seam Setter

- Ideal solution for creating consistent perpendicular seams and to handle full size waterfall miters
- Grey rubber suction cups less likely to leave suction cup markings on white/light colour stone
- Twin ratchet system with 6 points of adjustment and 4 fine tune levelers
- Red-line indicators on suction cup pumps monitor vacuum pressure & quick vacuum release lever for easy removal
- Sold as individual units with carrying case & suction cup covers included

Description	Item Code
90-Degree Waterfall Seam Setter (with 8" Grey Rubber Suction Cups)	HT-MT.G

Apollo 90 Degree Seamer Clamp

- To hold horizontal and 90° seam joints and/or waterfall miters
- Easily adjustable by turning the knob to accommodate various angles up to 270°
- Suitable for smooth, flat and non-porous materials like tile, glass and stone

Description	Item Code
90 Degree Seamer Clamp (with 5" suction cups)	AP-90SEAMER.T

Apollo 8" Heavy Duty Brass Handle Suction Cup

- Equipped with durable rubber pads for lifting, carrying & moving materials with flat surfaces
- Suitable for Stone slab, Porcelain tiles/slabs & Glass
- Vacuum leakage indicator (red line on pump) & quick suction release button to efficiently move between slabs
- Suction cup comes with carrying case & a plastic cover to protect rubber pads

Colour	Load Capacity	Item Code
Black Rubber	65 kg (143 lb)	HT-BH8
Grey Rubber	65 kg (143 lb)	HT-BH8.G

Apollo Aluminum Suction Cups - Lever Style

- Available in different types to accommodate various handling & installation operations
- Suitable for Stone Slab, Ceramic tiles, Porcelain tiles/slabs & Glass
- All suction cups comes with plastic protective covers

Type	Load Capacity	Item Code
Single	30 kg (66 lb)	HT-A1C
Dual	60 kg (130 lb)	HT-A2C
Triple	100 kg (220 lb)	HT-A3C
Quad	70 kg (154 lb)	HT-A4C

Abaco Suction Cups



Type	Specifications	Item Code
Double	90 kg (198 lb)	AB-SLD121
Triple	150 kg (330 lb)	AB-SLT128

- Suction cup with exceptionally strong vacuum clamping force
- Designed for moving Natural stone, Engineered stone, Ceramic, Porcelain tiles/slabs & Glass
- Equipped with 4-3/4" suction cups that are made with high quality rubber
- Light aluminum alloy handle for excellent grip during transport of materials
- Each suction cup unit includes an extra set of replacement lever-style handles with screws

Abaco Tile Suction Cups



Load Capacity	Item Code
25 kg (55 lb)	AB-TL

- Constructed with high quality natural white rubber
- Designed to pick up tiles with ease
- Sold in pairs

GRABO® Nemo Grabo Electric Suction Cup



Item Code
HT-EVC

- Equipped with a robust vacuum pump that creates a strong suction that attaches to non-porous/porous, wet/dusty, rough/ textured and smooth surfaces
- Can lift up to 375 lbs (170 kg) depending on the material type.
- Vacuum suction lifter designed for moving and placing large tile on both vertical and horizontal surfaces
- Working time is 1.5 hours of constant use
- Full recharge takes only 2 hours
- Features four steel lifting lugs thoughtfully positioned on both sides of the tool handle which enables seamless integration with lifting straps and a variety of additional attachment accessories

GRABO® Grabo Pro-Lifter 20 Electric Suction Cup



Item Code
HT-EVC.PRO

- Grabo Pro-Lifter 20 shares most of the same features as the Original Grabo with a few added features/design
- Features a smart digital pressure sensor that automatically re-pumps if vacuum pressure is lost
- Ergonomically designed to provide better grip and less fatigue when moving heavy objects
- The handle is also equipped with a digital display that shows the maximum weight that the Grabo Pro can safely lift at that very moment

Grabos can lift and move textured glass, metal, plastic, flagstone, wood, ceramic tile, stone, bluestone pavers, dry wall, rough slate and much more!



GRABO®



HT-EVC.S1



Grabo Accessories



HT-EVC.FOAMSEAL



HT-EVC.BATTERY



HT-EVC.RF



HT-EVC.CHARGER



HT-EVC.SLENDERSEAL



HT-EVC.ROCKSEAL

Description	Item Code
Grabo Battery	HT-EVC.BATTERY
Grabo Charger	HT-EVC.CHARGER
Grabo Replacement Filter	HT-EVC.RF
Grabo Foam Rubber Seal	HT-EVC.FOAMSEAL
Grabo RockSeal	HT-EVC.ROCKSEAL
Grabo Slender Seal - Capacity 132 lb	HT-EVC.SLENDERSEAL
Grabo Erguo S1 Attachment - Capacity: 265 lb	HT-EVC.S1

probst



Probst FXAH-120 Solo & Duo Set

- For tiles, natural stone and concrete slabs.
- Maximum load 120 kg.
- For ergonomic moving and laying of building materials.
- Release operation via foot pedal
- Slabs are gripped from above, not from the side: this protects the edges and enables precise laying.

Description	Item Code
Solo (carrying handle with adapter for one person; Net weight: 4.2 kg)	HT-EVC.SHD
Duo (carrying handle with adapter for two people; Net weight: 10 kg)	HT-EVC.DHD

Watch Video





Item Code
PH-2000

Porcelain Handler PH2000

- Only system which presses the frame against the flat surface of porcelain tiles/ slabs creating one solid unit.
- Uses several Grabo suction cups to press the aluminum frame directly against the surface with direct contact between the metal and the surface
- This system makes it possible for 2 people to move large slabs safely and effectively while reducing the chance of breakage
- Note: Grabos sold separately (partial slabs require 4x Grabos; full slabs require 6x Grabos)
- Kit Includes: 4x 23" blue bridges, 3x 46" blue bridges, 3x 96" silver rails, 3x 84" silver rails, 2x 65" silver rails & 12x quick pins

Watch Video



Item Code
PH-CH1300HD

Counter Handler

- Designed for moving and placing countertop materials safely and efficiently without fear of breakage
- This system utilizes GRABO (sold separately) powered vacuum cups for maximum holding power
- Activating the GRABO vacuum cups presses the Counter Handler's rigid aluminum support frame directly against the material for the ultimate in support
- Counter Handler supports the material all along its frame preventing flexing, bending, and material breakage. Commonly used as a sink hole support saver
- Grabos sold separately: this system requires at least 3 units of Grabos
- Kit Includes: 2 x 84" long Silver Rails, 3x 23" long Blue Bridges & 6x Quick pins

Watch Video



Panel Handler Accessories

- Build your own panel handler system with the following components

Description	Item Code
94" Silver Rail	PH-SR.94
60" Blue Bridge	PH-60B
46" Blue Bridge	PH-46B
23" Blue Bridge	PH-23B
Quick Pin (sold individually)	PH-QP



Rubi Slab Trans Heavy Duty N

- Designed for handling 1/4" (6mm) or more thick large-format ceramic sheets and tiles up to 142" inches (11.8' feet) long and 63" inches (5.25' feet) wide
- It has 4 handles (2 per guide) that can be adjusted and positioned along the entire length of the guide
- Weight capacity: 375 lb. (170 kg.)
- Compatible with the Rubi Slab Trolley (RB-18934) for more efficient transport, sold separately
- Includes: set of 2x reinforced, retractable and adjustable extruded aluminum profiles, 2x perpendicular crossbars, 6x grey rubber-based vacuum suction cups, 4x handles (2 per guide) & 1x practical transport bag



Description	Item Code
Slab Trans Heavy Duty N	RB-18982
Slab Trolley	RB-18934



Rubi Slim Easy Trans Plus

- Designed for handling large porcelain sheets up to a maximum length of 10.4 ft (320cm) with a maximum thickness of 6mm
- These retractable profiles can be adjusted in length from 5.5 ft to a maximum of 10.4 ft (170 to 320 cm)
- 6 interchangeable 8" diameter vacuum suction cups can be positioned anywhere along the guide providing versatility
- Load capacity of 176 lbs (80kgs)
- Includes: 2x extendable guides with 6x 8" vacuum suction cups, 4x reinforce steel handles (2 per guide)



Description	Item Code
Slim Easy Trans Plus	RB-ETPlus



Rubi Slim System Easy Trans

- Ideal system for easy transportation of large format porcelain sheets
- Consists of a set of two extruded aluminum guides, retractable and adjustable from 63" to 125" (160 to 320 cm) with 10 suction cups
- For sheets up to 9.8 ft. (3m) in length
- The set has 4 handles (2 per guide) that can be adjusted and positioned over the entire length of the guide
- The surface must be smooth, clean and dust/debris free
- Maximum load: 132.2 lb (60kg)



Description	Item Code
Slim System Easy Trans	RB-SSET18910





Rubi Crossbar Set

- Compatible with both Slim Easy Trans models to increase the lifting capacity by up to 154 lbs (70kg)
- Adjustable in both width & length, giving the transport systems a rigidity in any format/form
- The crossbar set is required to adapt the Slim Easy trans models to the slab trolley (RB-18934)

Description	Item Code
Crossbar Set	RB-18910



Rubi Slab Table

- Worktable designed for cutting, drilling and the handling of large format ceramic sheets
- Maximum load capacity of up to 550 lbs
- The folding legs are equipped with a safety system that prevents them from closing unintentionally
- Dimensions: 70.8" length x 40.9" width, working height of the table is 27.5"
- Includes a connector, which allows the union of two tables to create an ideal work surface for large-format ceramic sheets up to 142" (11.8ft)

Description	Item Code
Slab Table	RB-18935

Watch Video



Apollo Miter Clamps

- Fast, precise & easy to use with built-in square to create 90° seams
- Fascia clamping rod ensures tight seams and fascia retaining arm ensures accurate alignment
- Plastic disposable glue-catcher protects tool from glue overrun (replacements sold separately)
- High-quality aluminium & stainless steel construction with white rubber plate protects surface of stone

Size	Item Code
6" Miter Clamp	AP-MC.6
13-1/2" Miter Clamp	AP-MC.13



Apollo C-Clamps & F-Clamps

Size/Type	Item Code
3" C-Clamp	CLP-3C
4" C-Clamp	CLP-4C
6" C-Clamp	CLP-6C
9.8" F-Clamp	CLP-F.S
13.7" F-Clamp	CLP-F
17.7" F-Clamp	CLP-F.L

DUST SHROUDS

DustBuddie XP Shroud



DustBuddie Shroud



Makita Dust Shroud



GRINDING

Description	Item Code
Dustless 5" DustBuddie XP w/ 18" Hose	DLS-D5835
Dustless 7" DustBuddie XP w/ 18" Hose	DLS-D5850
Dustless 5" DustBuddie Shroud w/18" Hose	DLS-D1835
Dustless 7" DustBuddie Shroud w 18" Hose	DLS-D1850
Makita 5" Dust Shroud (for 9565CV)	MK-DG5
Makita 7" Dust Shroud (for GA7010C)	MK-DG7

CutBuddie Shroud



Makita Tuck Point Dust Guard



Alpha Ecoguard W series



CUTTING

Description	Item Code
Dustless 5" CutBuddie Shroud w/ 18" Hose	DLS-D1730
Dustless 7" CutBuddie Shroud w/ 18" Hose	DLS-D1750
Makita 5" Tuck Point Dust Guard (for 9565CV)	MK-DGA.1
Alpha 5" Ecoguard Dust Collection Cover-W5 for Wide Kerf Cutting	AL-ECOGDW5
Alpha 6" Ecoguard Dust Collection Cover-W6 for Wide Kerf Cutting [SPECIAL ORDER]	AL-ECOGDW6

1-3/8" BitBuddie



Alpha Ecoguard CD



DRILLING

Description	Item Code
Dustless 1-3/8" BitBuddie w/ 18" Hose	DLS-D1900
Alpha Ecoguard Type CD (wet/dry, up to 2-1/2" diameter)	AL-ECOG.CD





Super MET-AL Markers

- Sold individually, 12pcs/box

Colour	Item Code
Black	MARKER-B
White	MARKER-W
Yellow	MARKER-Y
Red	MARKER-R



Staedtler Lumocolor Permanent Pencils

- Sold individually, 12pcs/box

Colour	Item Code
Red	SLP-R



Wood Shims

- Preferred product in the stone fabrication and countertop installation industry
 - 8" wood shims have thin-feathered tips for precise adjustments, ensuring seamless installations

Description	Item Code
Wood Shims - 120 pcs/box OR 12 boxes/case	SHIMS



NSI Twist Shims™

- Designed specifically for leveling stone countertops over a plywood sub-top or in other hard to access areas
 - 0.90 inches tall and can be installed in three easy steps: Drive, Level & Glue
 - Twist Shim Driver required for installation and adjustment

Description	Item Code
Twist Shims - 50 pcs/can	NSI-TW50
Twist Driver (adapter that fits 3/8" socket) - 1 pc	NSI-TWDRIVE

Apollo Waterproof Aprons & Sleeves

Colour	Description	Item Code
Green	Army Print Waterproof Apron	APRON-ARMY
Blue	Heavy Duty Shoulder Strap Apron	APRON-LB
Blue	Waterproof Apron	APRON-BLUE
Yellow	Light Duty Apron	APRON-Y
Black	Waterproof Apron w/ Velcro Strips/ Pockets	APRON-B.VS
Green	Army Print Waterproof Sleeves (pair)	SLEV-ARMY
Black	Abaco Stonemason Sleeves (pair)	SLEV-AB
Orange	Heavy Duty Sleeves w/ Strings (pair)	SLEV-OR
Orange	Double Cuff Waterproof Orange Sleeves	SLEV-ODC



Safety Glasses & Goggles

Description	Item Code
Chemical Splash Goggle for Industrial Workplace (pair)	GLASSES-S80200
Safety Glasses: sold per pair, 12 pairs per box	GLASSES-PC



Nitrile Disposable Gloves

- Sold per box: 100pcs/box

Size	Item Code
Medium	GLOV-NITRILE.M
Large	GLOV-NITRILE.L
X-Large	GLOV-NITRILE.XL



Rubber Coated Work Gloves

- Sold per pair: 12 pair/bag

Size	Item Code
Large	GLOV-RB.L
Medium	GLOV-RB.M



Steel Toe/Plate Work Boots

- PVC 15" CSA Class 1 steel toe/steel plate
- Generous, comfortable fit & static dissipative
- Puncture and tear-resistant PVC compounded sole

Size	Item Code
8	BOOTS-8
9	BOOTS-9
10	BOOTS-10
11	BOOTS-11
12	BOOTS-12
13	BOOTS-13



Ranpro Steel Toe/Steel Plate Work Boots

- Rated to -20°C
- Oil, gas, mineral, organic & chemical resistant
- Lightweight & comfortable with reinforced ankle protection
- Non-clogging & water channeling tire tread-inspired soles

Size	Item Code
8	Pioneer-PUBOOTS8
9	Pioneer-PUBOOTS9
10	Pioneer-PUBOOTS10
11	Pioneer-PUBOOTS11





Dust Masks & Respirators

Description	Item Code
3M Half Face Respirator - Large	3M-RESPIRATOR.L
3M Half Face Respirator - Medium	3M-RESPIRATOR.M
3M P100 Particulate Filter w/Organic Vapour Relief	3M-FILTER
3M 60921 Organic Vapour Cartridge/P100 Filter	3M-60921
3M 60926 Multi-Gas Vapour Cartridge P100 Filter w/ Carbon Particles	3M-60926
3M 6001 Organic Vapor Cartridge	3M-TM6001
3M 501 Filter Retainer (sold each)	3M-TM0501
3M 5N11 Particulate Filter N95 - 10pcs/box	3M-TM5N11
3M 8210 - Particulate Respirator N95 - 20/box	3M-8210
3M 8210V - Particulate Respirator N95 - 10/box	3M-8210V



Earplugs & Earmuffs

Description	Item Code
3M Disposable Earplugs (200 pairs/box)	3M-EARPLUGS
3M Peltor Optime 101 Over-the-Head Earmuffs H7A (1 pair)	3M-EARM



Tenax Razor Blades

Description	Item Code
Razor Blades No. 9 - 100 pcs/pack OR 50 packs/case	TN-RAZ



Paper Cups

- 8 fl. oz. (236ml) paper cups sold in a pack of 100
- Perfect for mixing all kinds of epoxy and glue: knife grade and flowing

Description	Item Code
Paper Cups 100pcs/pack	AP-PCUPS.100



Blue Sharpening Stone

- Wet use only
- Designed for dressing sintered diamond tools, making glazed diamonds sharp again & extend their overall use
- simply cut or core into the dressing stone 6-8 times for regular maintenance of diamond tools

Item Code
SS

Apollo Ceramic Razor Blades

Description	Item Code
Ceramic Razor Blades - 10 pcs/pack	AP-RAZ.C



Wooden Stir Sticks

- 15cm long
- The perfect stir sticks for mixing epoxy and glue either at the fabrication shop or on-site for installs/repairs

Description	Item Code
Stir Sticks 500pcs/box	WOODSTICK



Flexible Plastic Water Pipe Hose

- Plastic flexible body, light weight and easy to install from any direction/angle
- Useful as a water cooling system for machinery: Bridge Saws and CNC Machines
- Length: 11.8" with flat nozzle design

Size	Item Code
1/4"	AP-WATERINLT.14
1/2"	AP-WATERINLT.12
3/4"	AP-WATERINLT.34



18" Squeegee

- 18" wide high-flexibility rubber
- Durable stainless steel construction and handle

Item Code
AP-SQUEGE.18



ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone

- Sold per tube, 12 tubes/box

Colour/Size	Item Code
White/300ml	CLKG-AP.W



DYNAFLEX 230® Premium Elastomeric Sealant

- Sold per tube, 12 tubes/box

Colour/Size	Item Code
White/300ml	CLKG-DF230



Dow Corning Tub, Tile and Ceramic Silicone Sealant

- Sold per tube, 12 tubes/box
- Each tube is 305ml (10.3 fl oz)

Colour	Item Code
Clear	DOW-CLEAR
Translucent White	DOW-TRANS.W
White	DOW-WHITE



APS100 Apollo Premium Silicone for Kitchen & Bath

- Sold per tube, 12 tubes/box
- Each tube is 290ml

Colour	Item Code
Clear	APS100.C
Translucent White	APS100.TW
White	APS100.W



NuFlex 180 Siliconized Acrylic Sealant

- Sold per tube, 12 tubes/box

Colour/Size	Item Code
White/300ml	NUC-180.W



Xcel Adhesives

- Sold per tube, 12 tubes/box
- Size: 290ml

Type	Item Code
Instant Grab Adhesive / White	XCEL-IGA.W
Masonry Grab Adhesive / Grey	XCEL-MGA.G



Titebond Heavy Duty Construction Adhesive

- Sold per tube, 12 tubes/box

Size	Item Code
28oz cartridge	TD-HD28
10oz cartridge	TD-HD10





CH200



ETS2000



ETS3000



ETS5000



Dripless Caulking Guns

CH200: Pro Cradle Hex-Rod Caulk Gun with 10: 1 thrust ratio for 300ml (10 fl.oz) cartridges

ETS2000: Heavy Duty Ergo Composite Caulk Gun with 12:1 thrust ratio 12:1 for 300m (10 fl. oz) cartridges

ETS3000: Industrial Grade Caulk Gun with 18:1 thrust ratio for (10 fl. oz) cartridges

ETS5000: Industrial Grade Caulk Gun with 18:1 thrust ratio for 857ml (29 fl. oz) cartridges

Model	Item Code
CH200	CLKG-CH200
ETS2000	CLKG-ETS2000
ETS3000	CLKG-ETS3000
ETS5000	CLKG-ETS5000



Xcel High Viscosity Caulk Gun

- 12:1 thrust ratio for 290ml to 310ml cartridges

Model	Item Code
CG3-12-1	XCEL-CG3



Rubi Multi-Drill Guide

- Allows for efficient centering in the drilling of holes in both wet/dry conditions and vertical/horizontal surfaces
- Centering holes for drill bits from 6 to 12mm (1/4" to 1/2")
- Main guide compatible with drill bits up to 83mm (3-1/4")
- Optional Accessory: includes connection for hose and water tank hose (RB-50947), sold separately

Description	Item Code
Multi-Drill Guide #50944	RB-DG
Water Tank & Hose #50947 (optional accessory)	RB-50947



Apollo Multi-Drill Guide

- Allows for precise and reliable drilling of holes in both wet/dry conditions and vertical/horizontal surfaces
- 4.5" clamp style suction cup is fixed directly on the smooth tile and/or stone surface
- Main guide when extended is compatible with core bits up to Ø 88 mm (3-1/2")

Item Code
AP-DG



SINKIT-STAND



SINKIT-SLC

Sinkits Standard Sink Clips & Slot Clips

- For undermounting sinks to 2-3cm stone countertops or any hard surface material
- Each clip tested to support up to 120 lbs of force
- With the use of sinkits, no need to keep track of loose screws, washers or anchors
- Sink Clips drill a hole and insert clip, no more waiting for epoxy to cure
- Slot Clips - alternative design for fabricators who prefer cutting a slot

Description	Item Code
Undermount Sink Clips: up to 3/4" sink rims (sold per piece)	SINKIT-STAND
Standard Slot Clips for rims up to 5/8" (sold per piece; 325 pcs/box)	SINKIT-SLC



Seam Release Heat Pad


- Versatile and industrial strength heat pad can be used on a wide range of surfaces
- Ideal for seam release applications on stone countertops without leaving burn marks on the surface
- Temp range: 10°C to 218°C
- Heat pad comes with 6-foot long power cords with a standard 3-prong plug (120V)

Description	Item Code
Seam Release Heat Pad (W: 6" x L: 36"; 120V, 540W)	AP-HTPD6.36

Coroplast Sheets for Templating

- Dimensions: 92" Length x 27" Width x 3mm thick
- For purchase in single (ea), bundle (20pcs) or 5-bundles (100pcs)

Item Code
AP-TS



Fiberglass Rodding

- Light but very strong, fiberglass reinforcement increases the load tolerance by 50%
- Proper use significantly strengthens your slabs and will never rust
- Easy to cut & ribbed for better adhesion

Size	Item Code
3/8" x 1/8" x 300'	AP-ROD3/8



G-Tape: Multi-Purpose Tape

- Hand tearing: straight and easy
- Good surface protection tape for setting up miter joints with residue free removal
- Waterproof and repositionable
- Highly Weather/UV Resistant: All-Weather usage (-40°C to 93°C)

Size	Item Code
2" x 164"	MC-G.Tape



Cantech Paint Pro Premium Green Painters Tape

- Easy, clean removal from most surfaces
- Consistent, easy unwind
- Resistant to humidity and paint bleed-through
- Secure adhesion

Size	Item Code
24mm x 55m (0.94" x 60 yd)	PAINTP1
36mm x 55m (1.41" x 60 yd)	PAINTP1.5
48mm x 55m (1.88" x 60 yd)	PAINTP2



Countertop / Surface Protection Film

- Surface film protects countertops & floors from scratches, scuff marks, stains and other damages
- Perfect for use during transportation/installation & easy to remove afterwards

Colour	Description	Item Code
Clear	W: 31.5" x L: 200' x 3mls thick	SSF
Blue	W: 36" x L: 330' x 3mls thick	SSF.BL



Shop Towels & Grab-A-Rag

Description	Item Code
Shop Towels (sold per roll OR 10 rolls/package)	ST
Grab-A-Rag - multi-purpose, non-abrasive microfibre - 80 rags/box	AP-GAR



Acetone & Methyl Hydrate

- Ideal for cleaning Natural stone, Engineered stone & Tile surfaces in preparation for gluing applications
- NOT recommended for shipping

Type	Size	Item Code
Acetone	Gallon plastic jug	ACET-GL.P
Acetone	5 Gallon metal can	ACET-PL.M
Methyl Hydrate	Gallon plastic jug	MTH-1G
Methyl Hydrate	5 Gallon metal can	MTH-5G





TEL: 604.279.8577
WEBSITE: www.apollostoneart.com
EMAIL: sales@apollostoneart.com
ADDRESS: Unit 105-4471 No.6 Road
Richmond, BC.
V6V 1P8 Canada



WhatsApp

